THE SOUTHWESTERN NATURALIST 48(4):736–757 DECEMBER 2003

INDEX TO VOLUME 48

Troy L. Best

Department of Biological Sciences and
Alabama Agricultural Experiment Station,
331 Funchess Hall, Auburn University, Alabama 36849-5414

This index was constructed by listing each article alphabetically by title and by the last name of the first author. Titles beginning with general terms or phrases (e.g., a, an, the, observations on, notes on the) are listed by the next word in the title. Second and subsequent authors are listed with a reference to the first author. All taxa included in titles are listed, but family, genus, and species names are included each time they appear in the abstracts, text, tables, and figure legends.

Abaeis nicippe, 512
Abbott, John C., Robert A. Behrstock, and Robert R. Larsen, Notes on the distribution of Odonata in the Texas Panhandle, with a summary of new state and county records, 444–448
Abbreviata terrapenis, 212
Abies, 257
  concolor, 224, 492, 493, 495–497, 501, 504
  lasiocarpa, 258
Abnormal antlers and pedicles on Rocky Mountain elk in northern Arizona, Janet L. Rachlow, Raymond M. Lee, and Ryan K. Riley, 147–153
Abundance of the gynogen *Poecilia formosa* and its sexual host *Poecilia latipinna* (Teleostei: Poeciliidae) in some southern Texas habitats, relative, David L. McNeely and Cara E. Wade, 451–453
Abundance, survival, and hibernation of Preble's meadow jumping mice (*Zapus hudsonius preblei*) in Boulder County, Colorado, Carron A. Meaney, Anne K. Ruggles, Bruce C. Lubow, and Norman W. Clippinger, 610–623
Acacia, 123, 142, 559
  angustissima, 187
  berlandieri, 283, 321–332
  constricta, 482, 636, 693
  greggii, 482, 693
  gregii, 636
  minuata, 321–332
  minuta, 283
  rigidula, 283, 321–332
  schaffneri, 321–332
  tortilis, 197
Acentrella, 30
Acer glabrum, 504
Achalarus
  albociliatus, 521
  toxeus, 521
Achillea
  millefolium, 12
  ptarmica, 12
Achlyodes busirus, 523
Ackland, Emily N., see Husak, Jerry F., and —
Acrididae, 198, 270
Acroneuria, 30
Adelpha
  basiloides, 515
  fessonia, 515
  iphiclus, 515
  naxia, 515
  phylaca, 515
  serpa, 515
Adelphia ixia, 515
Adenophyllum porophylloides, 180, 187
Aechmoporus clarkii, 360
Aedes, 637
Aegolius acadicus, 394
Aegopogon
  cenchroides, 181
  tenellus, 181
Aeshna umbrosa, 446, 447
Aeshnidae, 446, 447
Aethilla lavochrea, 522
Agamia agami, 707, 709
Agavaceae, 187
Agave, 119, 598
  palmeri, 722–725
  scabra, 181, 184, 187
Agosia chrysogaster, 667
Agouti paca, 573
Agoutidae, 573
Agraulis vanillae, 513
Agropyron
  cristatum, 493, 494, 504
  desertorum, 494, 504
  intermedia, 493
  smithii, 461
Aguna
  asander, 520
  aurunce, 520
  claxon, 520
  coeloides, 520
  metophis, 520
Aides brilla, 525
Aimophila cassinii, 290, 291
Alanen, Marit L., see Hutton, Kelly A., —
Alavarado-Diaz, Javier, Pedro Garcia-Garrido, and Ireri Suazo-Ortuño, Food habits of a paedomorphic population of the Mexican salamander, *Ambystoma ordinarium* (Caudata: Ambystomatidae), 100–102
Allenrolfea occidentalis, 472
Allium glandulosum, 181
Allosmaitia strophius, 519
Alnus, 312
Alona, 341
Alonso-Pérez, Nicolás, see Servín, Jorge, —
Alouatta
  palliata, 574
  pigra, 571, 574
Aloyssia gratissima, 187
Alvarez-Castañeda, Sergio Ticul, and Evelyn Rios, Noteworthy record of western harvest mouse (Muridae: *Reithrodontomys megalotis*) on the Baja California Peninsula, 471–472
Amanita
  muscaria, 662–665
  vaginata, 662, 663, 665
Amblyscirtes tolteca, 525
Ambrosia, 307
  artemisiifolia, 12
  deltoides, 559
  dumosa, 11, 203, 684
  psilostachya, 180
Ambystoma
  opacum, 102
  ordinarium, 100–102

THE SOUTHWESTERN NATURALIST 48(4):736–757 DECEMBER 2003

INDEX TO VOLUME 48

Troy L. Best

Department of Biological Sciences and
Alabama Agricultural Experiment Station,
331 Funchess Hall, Auburn University, Alabama 36849-5414

This index was constructed by listing each article alphabetically by title and by the last name of the first author. Titles beginning with general terms or phrases (e.g., a, an, the, observations on, notes on the) are listed by the next word in the title. Second and subsequent authors are listed with a reference to the first author. All taxa included in titles are listed, but family, genus, and species names are included each time they appear in the abstracts, text, tables, and figure legends.

Abaeis nicippe, 512
Abbott, John C., Robert A. Behrstock, and Robert R. Larsen, Notes on the distribution of Odonata in the Texas Panhandle, with a summary of new state and county records, 444–448
Abbreviata terrapenis, 212
Abies, 257
  concolor, 224, 492, 493, 495–497, 501, 504
  lasiocarpa, 258
Abnormal antlers and pedicles on Rocky Mountain elk in northern Arizona, Janet L. Rachlow, Raymond M. Lee, and Ryan K. Riley, 147–153
Abundance of the gynogen *Poecilia formosa* and its sexual host *Poecilia latipinna* (Teleostei: Poeciliidae) in some southern Texas habitats, relative, David L. McNeely and Cara E. Wade, 451–453
Abundance, survival, and hibernation of Preble's meadow jumping mice (*Zapus hudsonius preblei*) in Boulder County, Colorado, Carron A. Meaney, Anne K. Ruggles, Bruce C. Lubow, and Norman W. Clippinger, 610–623
Acacia, 123, 142, 559
  angustissima, 187
  berlandieri, 283, 321–332
  constricta, 482, 636, 693
  greggii, 482, 693
  gregii, 636
  minuata, 321–332
  minuta, 283
  rigidula, 283, 321–332
  schaffneri, 321–332
  tortilis, 197
Acentrella, 30
Acer glabrum, 504
Achalarus
  albociliatus, 521
  toxeus, 521
Achillea
  millefolium, 12
  ptarmica, 12
Achlyodes busirus, 523
Ackland, Emily N., see Husak, Jerry F., and —
Acrididae, 198, 270
Acroneuria, 30
Adelpha
  basiloides, 515
  fessonia, 515
  iphiclus, 515
  naxia, 515
  phylaca, 515
  serpa, 515
Adelphia ixia, 515
Adenophyllum porophylloides, 180, 187
Aechmoporus clarkii, 360
Aedes, 637
Aegolius acadicus, 394
Aegopogon
  cenchroides, 181
  tenellus, 181
Aeshna umbrosa, 446, 447
Aeshnidae, 446, 447
Aethilla lavochrea, 522
Agamia agami, 707, 709
Agavaceae, 187
Agave, 119, 598
  palmeri, 722–725
  scabra, 181, 184, 187
Agosia chrysogaster, 667
Agouti paca, 573
Agoutidae, 573
Agraulis vanillae, 513
Agropyron
  cristatum, 493, 494, 504
  desertorum, 494, 504
  intermedia, 493
  smithii, 461
Aguna
  asander, 520
  aurunce, 520
  claxon, 520
  coeloides, 520
  metophis, 520
Aides brilla, 525
Aimophila cassinii, 290, 291
Alanen, Marit L., see Hutton, Kelly A., —
Alavarado-Diaz, Javier, Pedro Garcia-Garrido, and Ireri Suazo-Ortuño, Food habits of a paedomorphic population of the Mexican salamander, *Ambystoma ordinarium* (Caudata: Ambystomatidae), 100–102
Allenrolfea occidentalis, 472
Allium glandulosum, 181
Allosmaitia strophius, 519
Alnus, 312
Alona, 341
Alonso-Pérez, Nicolás, see Servín, Jorge, —
Alouatta
  palliata, 574
  pigra, 571, 574
Aloyssia gratissima, 187
Alvarez-Castañeda, Sergio Ticul, and Evelyn Rios, Noteworthy record of western harvest mouse (Muridae: *Reithrodontomys megalotis*) on the Baja California Peninsula, 471–472
Amanita
  muscaria, 662–665
  vaginata, 662, 663, 665
Amblyscirtes tolteca, 525
Ambrosia, 307
  artemisiifolia, 12
  deltoides, 559
  dumosa, 11, 203, 684
  psilostachya, 180
Ambystoma
  opacum, 102
  ordinarium, 100–102

Ambystomatidae, 100–102
Ameiurus
melas, 43, 667
natalis, 667
natalus, 43
Ameiva undulata, 211
Ammodramus maritimus, 465–467
Ammospermophilus
harrisii, 575
insularis, 575, 576
interpres, 575
leucurus, 106, 568, 570, 575
Amphibians and reptiles of the Whetstone Mountains, Arizona, Dale S. Turner, Peter A. Holm, Elizabeth B. Wirt, and Cecil R. Schwalbe, 347–355
Anacardeaceae, 673
Anacardiaceae, 187
Anaea troglodyta, 506, 515
Anartia
amathea, 513
jatrophae, 513
Anas
acuta, 244
americana, 244, 245
clypeata, 244
crecca, 244
cyanoptera, 244
discors, 242, 244
platyrhynchos, 241, 242, 244, 245, 362
strepera, 244
Anastrus
neareris, 523
sempiternus, 523
Anax junius, 446
Anaxyrus melancholicus, 676–680
Anaxyrus melancholicus Tschudi: synonym of the Mexican taxon *Bufo compactilis* Wiegmann (Anura: Bufonidae), Jennifer B. Pramuk and Joseph R. Mendelson, III, 676–680
Andersen, Douglas C., and S. Mark Nelson, Effects of river flow regime on cottonwood leaf litter dynamics in semi-arid northwestern Colorado, 188–201
Andersen, Douglas C., see Miller, Michael S., —
Andersen, Mark C., see Kroll, Andrew J., —
Anderson, James T., and David A. Haukos, Breeding ground affiliation and movements of greater white-fronted geese staging in northwestern Texas, 365–372
Andropogon gerardii, 461
Anoda cristata, 187
Anoura geoffroyi, 574
Anser albifrons, 286–289, 365–372
Antennaria rosea, 504
Anteos
clorinde, 512
maerula, 512
Anteros carausius, 517
Anthanassa
argentea, 514
frisia, 514
Anthocoridae, 133
Anthoptus
epictetus, 523
insignis, 523
Antigonus
erosus, 522
nearchus, 522
Antilocapra americana, 270, 574, 725–728
Antilocapridae, 573–574
Antrozous pallidus, 575
Anura, 676–680
Aphelocoma californica, 386
Aphrissa statira, 512
Apis mellifera, 81–84
Apocynum androsaemifolium, 494, 496, 504
Apodemia hypoglauca, 518
Aquila chrysaetos, 263, 630, 707, 709
Arabis, 504
Arawacus
jada, 519
sito, 518
Arbutus, 185
xalapensis, 181, 187
Arceuthobium vaginatum, 257
Archaeoprepona demophon, 515
Architecture, population size, myrmecophiles, and mites in an excavated nest of the honeypot ant, *Myrmecocystus mendax* Wheeler, in Arizona, John R. Conway, 449–450
Arctium minus, 12
Arctostaphyllos pungens, 177, 179
Arctostaphylos, 723
pungens, 181, 182–185, 187, 231, 236
Ardea alba, 131
Arecaceae, 580
Argia, 30
apicalis, 446
immunda, 446, 447
moesta, 446
nahuana, 446
Argyrogrammana stilbe, 517
Aristida, 262
adscensionis, 180, 182, 187, 487
purpurea, 187
ternipes, 181, 182, 187
Arkansas darter, *Etheostoma cragini*, and least darter, *E. microperca*, in Arkansas, status of, Chad W. Hargrave and James E. Johnson, 89–92
Armadillidium vulgararе, 49
Arroyo-Cabrales, Joaquín, see Muñiz-Martínez, Raúl, —
Artemesia
filifolia, 114
tridentata, 192
Artemisia, 626
absinthium, 12
campestris, 12
scoparia, 11
vulgaris, 12
Arteurotia tractipennis, 522
Artibeus
hirsutus, 574
intermedius, 142, 143, 574
jamaicensis, 143, 574, 582, 583, 586
lituratus, 574, 583, 585, 586
Artificial nests reveal meaningful patterns of predation in Kansas grasslands?, do, Robert J. Robel, John P. Hughes, Timothy D. Keane, and Kenneth E. Kemp, 460–464
Ascarops, 208–211, 213, 214, 217
Ascia monuste, 513
Ashmunella, 14–22
auriculata, 17–20
harrisi, 17–20
kochii, 17–20
organensis, 17–21
pasonis, 17–20
rhyssa, 20
salinasensis, 17–20
todseni, 17–21
Asio otus, 76
Aspicarpa hyssopifolia, 187
Aspidoscelis
burti, 689, 690
exsanguis, 685–692
flagellicauda, 685–692
gularis, 690, 692–694, 696–699
inornata, 690
sonorae, 685–692
tesselata, 685–692, 692–700
tigris, 680–684, 692–700
Association between the Oklahoma salamander (*Eurycea tynerensis*) and Ordovician-Silurian strata, Renn Tumlison and George R. Cline, 93–95
Aster
curtus, 12
novi-belgii, 12
Asteraceae, 1–13, 187
Asteriscus pygmaeus, 11
Asterocampa idyja, 515
Astragalus
calycosa, 494–496
calycosus, 504
Astraptes
alardus, 521
alector, 521
anaphus, 521
egregius, 521
enotrus, 521
fulgerator, 521
Astrocaryum mexicanum, 580
Astyanax
mexicana, 452
mexicanus, 86
Atalopedes campestris, 525
Atarnes sallei, 522
Ateles geoffroyi, 571, 574

Atlides
carpasia, 518
gaumeri, 518
halesus, 518
polybe, 518
Atractelmis, 31
Atractis
longicaudatum, 211
penneri, 208–212, 215, 217
scelopori, 211
Atriplex, 413, 626
canescens, 559
polycarpa, 684
Autochton longipenis, 521
Autochton zarex, 521
Avey, Josh T., Warren B. Ballard, Mark C. Wallace, Mary H. Humphrey, Paul R. Krausman, Fielding Harwell, and Ernest B. Fish, Habitat relationships between sympatric mule deer and white-tailed deer in Texas, 644–653
Avicennia germinans, 465, 466
Aythya americana, 244
Aythya
affinis, 244, 245
collaris, 244, 245
valisineria, 244

Baccaris sarothroides, 559
Baeotis
sulphurea, 517
zonata, 517
Baetidae, 30
Baetis, 30
Bagley, Brian E., see Marsh, Paul C., —
Baiomys
musculus, 574
taylori, 419–426, 574
Baker, Robert J., see Bradley, Robert D., —
Balantiopteryx
io, 574
plicata, 574, 713
Ballard, Bart M., see Kloss, Christopher L., —
Ballard, Warren B., see Avey, Josh T., —
Ballard, Warren B., see Kamler, Jan F., —
Ballinger, Royce E., see Lemos-Espinal, Julio A., —
Ballinger, Royce E., see Smith, Geoffrey R., —
Barr, Charles L., see Pedersen, Ellen K., —
Bartramia longicauda, 290
Baseline survey of Texas horned lizards, *Phrynosoma cornutum*, in Texas, Scott E. Henke, 278–282
Basileuterus culicivorus, 709–710
Bassariscus
astutus, 249–256, 575, 600, 723
casei, 250, 253–255
lycopotamicus, 250, 253
ogallalae, 249–256
parvus, 254
rexroadensis, 250, 252–254
sumichrasti, 250, 252, 253, 575
Bassariscus ogallalae (Carnivora: Procyonidae) from the Ogallala Group (Miocene) of Ellis County, Kansas, with comments on variation within *Bassariscus*, new record of, Gabe S. Bever, 249–256
Batis maritima, 465
Batrachochytrium dendrobatidis, 59
Battus
laodamas, 512
philenor, 512
polydamas, 512
Bauerus dubiaquercus, 575
Beaurcaena gracilis, 673
Becker, Dawne E., see Murphy, John F., —
Bedford, Theresa L., see Pedersen, Ellen K., —
Behrstock, Robert A., see Abbott, John C., —
Bellis perennis, 12
Benjamin, Jill E., see Mooring, Michael S., —
Benthic community structure of the Green and Colorado rivers through Canyonlands National Park, Utah, USA, G. Allen Haden, Joseph P. Shannon, Kevin P. Wilson, and Dean W. Blinn, 23–35
Berriochloa, 443
Best, Troy L., and Kenneth N. Geluso, Summer foraging range of Mexican free-tailed bats (*Tadarida brasiliensis mexicana*) from Carlsbad Cavern, New Mexico, 590–596
Betula fontinalis, 384
Beucarnea pliabilis, 506
Bever, Gabe S., New record of *Bassariscus ogallalae* (Carnivora: Procyonidae) from the Ogallala Group (Miocene) of Ellis County, Kansas, with comments on variation within *Bassariscus*, 249–256
Biblis hyperia, 514
Bickford, Sophia M., see McColgin, Maureen E., —
Bidens, 184
bigelovii, 180, 187
cernua, 12
frondosa, 12
pilosa, 12
polylepis, 11
tripartita, 12
Bignoniaceae, 187
Biorbia fossilia, 443
Bird records from Tamaulipas, Mexico, new, Héctor A. Garza-Torres, J. Rafael Herrera-Herrera, Griselda Escalona-Segura, Jorge A. Vargas-Contreras, and Adolfo G. Navarro S., 707–710
Black-headed grosbeaks nesting in riparian and Gambel oak pastures in southwestern Colorado, comparison of, Catherine P. Ortega and Joseph C. Ortega, 383–388
Blinn, Dean W., see Ellsworth, Patricia M., and —
Blinn, Dean W., see Haden, G. Allen, —
Blood parasites in Ross' and white-fronted geese in southern Texas, survey of, Christopher L. Kloss, Alan M. Fedynich, and Bart M. Ballard, 286–289
Boal, Clint W., Tracy S. Estabrook, and Adam E. Duerr, Productivity and breeding habitat of loggerhead shrikes in a southwestern urban environment, 557–562
Body size on reproductive characteristics of the northern grasshopper mouse in north-central Kansas, effect of, Jacob R. Goheen, Glennis A. Kaufman, and Donald W. Kaufman, 427–431
Body size, sexual dimorphism, and clutch size in two populations of the lizard *Sceloporus ochoteranae*, Geoffrey R. Smith, Julio A. Lemos-Espinal, and Royce E. Ballinger, 123–126
Body size variation and evolutionary ecology of eastern and western screech-owls, Frederick R. Gehlbach, 70–80
Boerhaavia
intermedia, 487
torreyana, 487
Boltonia decurrens, 12
Bonar, Scott A., see Ward, David L., and —
Boraginaceae, 443
Bos bison, 574
Bothriochloa
barbinodis, 185, 187
ischaemum, 274, 275
Bouteloua, 179
aristidoides, 484, 487
barbata, 487
chondrosioides, 180–182, 187
curtipendula, 177, 180, 183, 185, 187, 235, 275, 461
eriopoda, 185
gracilis, 114, 177, 180–185, 187, 235, 262, 275, 718
hirsuta, 180–182, 187, 262
Bouvardia ternifolia, 181, 187
Bovidae, 270, 574
Boyce, Walter M., Chantal S. O'Brien, and Esther S. Rubin, Response of bighorn sheep (*Ovis canadensis*) to

feral honey bees (*Apis mellifera*) at water, 81–84
Boykin, Ken, see Kroll, Andrew J., —
Brachycentridae, 30
Brachycentrus, 30
Braconidae, 198
Bradley, Lisa C., see Bradley, Robert D., —
Bradley, Robert D., Fred C. Bryant, Lisa C. Bradley, Michelle L. Haynie, and Robert J. Baker, Implications of hybridization between white-tailed deer and mule deer, 654–660
Brangas getus, 518
Brannan, Chris R., see Brannan, Daniel K., —
Brannan, Daniel K., Chris R. Brannan, and Thomas E. Lee, Jr., Reproductive and territorial behavior of Comanche Springs pupfish (*Cyprinodon elegans*) in San Solomon Spring Pool, Balmorhea State Park, Reeves County, Texas, 85–88
Branta canadensis, 286, 287
Breeding ducks and their habitats in the High Plains of Texas, James D. Ray, Brian D. Sullivan, and Harvey W. Miller, 241–248
Breeding ground affiliation and movements of greater white-fronted geese staging in northwestern Texas, James T. Anderson and David A. Haukos, 365–372
Brickellia
baccharidea, 187
californica, 187
veronicaefolia, 187
Briggler, Jeffrey T., and William L. Puckette, Observations on reproductive biology and brooding behavior of the Ozark zigzag salamander, *Plethodon angusticlavius*, 96–100
Briones-Salas, Miguel, see Santos-Moreno, Antonio, —
Bromus
anamolus, 494, 496, 504
inermis, 493–496, 504
madritensis, 105
rubens, 105
rubra, 626
tectorum, 626
Brooks, Daniel M., see Sarkozi, David L., and —
Brosimun alicastrum, 506
Brown, Erica J., see McColgin, Maureen E., —
Bryant, Fred C., see Bradley, Robert D., —
Bubulcus ibis, 131
Bucephala albeola, 244, 245
Buchanan, Thomas M., and Michael M. Stevenson, Distribution of big-scale logperch, *Percina macrolepida* (Percidae), in the Arkansas River Basin, 454–460
Buchloe dactyloides, 114, 274, 275, 718
Bufo
arequipensis, 679
boreas, 55, 59
cognatus, 351
compactilis, 676–679
exsul, 54–60
fastidiosus, 676
limensis, 680
marinus, 678
occidentalis, 672, 674
punctatus, 351, 352
spinulosus, 676–678, 680
vellardi, 677–680
Bufonidae, 676–680
Bursera, 123, 563
microphylla, 472
simaruba, 506
Burseraceae, 563
Bursey, Charles R., see Goldberg, Stephen R., —
Buteo, 116
regalis, 290, 291
swainsoni, 115
Buteogallus
anthracinus, 709
urubitinga, 709
Butterflies (Papilionoidea and Hesperioidea) of Calakmul, Campeche, México, Carmen Pozo, Armando Luis Martínez, Santiago Uc Tescum, Noemí Salas Suárez, and Aixchel Maya Martínez, 505–525

Cabares potrillo, 521
Cabassous centralis, 574
Cactaceae, 187
Cactus ferruginous pygmy-owl in Arizona, 1872–1971, R. Roy Johnson, Jean-Luc E. Cartron, Lois T. Haight, Russell B. Duncan, and Kenneth J. Kingsley, 389–401
Calaides
astyalus, 512
ornythion, 512
Calamoceratidae, 36, 38
Calamospiza melanocorys, 290, 291
Calcarius, 290
Calea, 11
Calephelis
azteca, 505, 508, 509, 517
browni, 517
fulmen, 517
maya, 517
stallingsi, 517
tikal, 517
wrighti, 517
yautepequensis, 517
Caligo
atreus, 516
teucer, 516
Calliades zeutus, 521
Calliandra humilis, 181
Callicore texa, 515
Callimormus
juventus, 523
saturnus, 523
Callisaurus, 555
draconoides, 106, 211, 351, 352, 551
Calocephalus platycephalus, 11
Calociasma lilina, 518
Calopterygidae, 446
Calopteryx maculata, 446
Calotis hispidula, 11
Caluromyidae, 574
Caluromys derbianus, 570, 574
Calycopis isobeon, 519
Calydna sturnula, 517
Camarillo-Rangel, José L., see Goldberg, Stephen R., —
Camelobatidius, 30
Campbell, Jonathan A., see Canseco-Marquez, Luis, and —
Campephilus
guatemalensis, 69
guayaquil, 69
haematogastor, 69
imperialis, 62, 69
leucopogon, 69
magellanicus, 65, 69
melanoleucos, 69
pollens, 69
principalis, 62, 69
robustus, 69
rubricollis, 69
Camptopleura theramenes, 523
Canidae, 574
Canis
latrans, 261, 263, 432, 561, 574, 630, 651, 725
lupus, 435, 574
Canseco-Marquez, Luis, and Jonathan A. Campbell, Variation in Zapotitlán coralsnake, *Micrurus pachecogili* (Serpentes: Elapidae), 705–707
Canseco-Márquez, Luis, Guadalupe Gutiérrez-Mayén, and Joseph R. Mendelson, III, Distribution and natural history of the hylid frog *Hyla xera* in the Tehuacan-Cuicatlan Valley, Mexico, with a description of the tadpole, 670–675
Cantharellus cibarius, 662, 663
Carabidae, 198
Caraveo, Yadira, see Taylor, Harry L., and —
Carduus acanthoides, 12
Caria
ino, 517
mantinea, 517
melino, 505, 508, 509, 517
stillaticia, 517
Carlina vulgaris, 12
Carnegiea, 598
gigantea, 391, 605

Carnivora, 249–256
Carollia
brevicauda, 574, 583
perspicillata, 574, 582, 583, 586
subrufa, 574
Carpenter, Mary C., and Jim I. Mead, Late Pleistocene roadrunner (*Geococcyx*) from Kartchner Caverns State Park, southeastern Arizona, 402–410
Carpochaete bigelovii, 181, 187
Carpodacus mexicanus, 561
Carrhenes canescens, 522
Cartron, Jean-Luc E., see Johnson, R. Roy, —
Carya, 293
illinoensis, 307
Caryophyllaceae, 187
Carystoides, 524
Carystus phorcus, 524
Castilia
myia, 514
ofella, 508, 514
Castilleja
martini, 496
martinii, 504
Castor canadensis, 574
Castoridae, 574
Catastrophic decline of a high-density population of hispid cotton rats (*Sigmodon hispidus*) in central Oklahoma, Jay E. Clark, Eric C. Hellgren, and Eric E. Jorgensen, 467–471
Catonephele
mexicana, 514
numilia, 514
Catostomus
insignis, 667
latipinnis, 43–46
Caudata, 100–102
Ceanothus fendleri, 181
Cebidae, 574
Cecropiaceae, 581
Cediopsylla inaequalis, 721
Cedrela odorata, 505
Cedrella, 582
odorata, 581
Ceiba, 582
pentandra, 581
schotti, 506
Celaenorrhinus stola, 522
Celastrina argiolus, 518
Celeus
castaneus, 69
elegans, 69
flavescens, 69
flavus, 69
grammicus, 69
loricatus, 69
lugubris, 69
spectabilis, 69
torquatus, 69
undatus, 69
Celithemis fasciata, 446, 447
Celmia conoveria, 519
Celtis
laevigata, 302, 307, 646
pallida, 693
reticulata, 600
willistonii, 443
Cemophora coccinea, 554, 555
Centaurea
nigra, 12
scabiosa, 12
solstitialis, 11
Centronycteris maximiliani, 574
Centurio senex, 574
Century plants (*Agave palmeri*) by coatis (*Nasua narica*), use of, Maureen E. McColgin, Erica J. Brown, Sophia M. Bickford, Anna L. Eilers, and John L. Koprowski, 722–725
Cephreuptychia glaucina, 516
Ceratophyllum, 49, 50
demersum, 91
Ceratopogonidae, 31, 288
Ceratopsyche, 30
Cercidium, 391, 559
Cercocarpus
breviflorus, 15, 16
montanus, 187
Cervidae, 148, 574
Cervus elaphus, 147–153, 639, 657
Chacón, Elías, see Servín, Jorge, —
Chaerophyllum taintunieri, 6
Chaetodipus
arenarius, 570, 574
artus, 574
baileyi, 570, 574
californicus, 568, 570, 574
eremicus, 137
fallax, 568, 570, 574, 578
formosus, 574
goldmani, 574
hispidus, 574, 616
intermedius, 574
lineatus, 574
nelsoni, 574
penicillatus, 570, 574, 578
pernix, 574
spinatus, 574
Chalybs janias, 519
Chamaecrista nictitans, 180, 187
Chamberlain, Michael J., and Bruce D. Leopold, Effects of a flood on relative abundance and diversity of small mammals in a regenerating bottomland hardwood forest, 306–309
Chara zeylanica, 86
Charadrius montanus, 290, 291
Charis zama, 517
Chelifera, 31
Chelydra serpentina, 544
Chen
caerulescens, 287
rossii, 286–289
Chenopodiaceae, 187
Chenopodium
album, 504
graveolens, 181, 184, 187
Cheumatopsyche, 30
Chioides
catillus, 520
zilpa, 520
Chiomara georgina, 523
Chiroderma
salvini, 142, 143, 574
villosum, 574, 583, 585
Chironectes minimus, 574
Chironomidae, 31, 101
Chiroptera, 138–144, 437–441, 715–717
Chiszar, David, see Smith, Hobart M., —
Chloris
gayana, 187
virgata, 187
Chloroleucon ebano, 321–332
Chlorostrymon simaethis, 519
Chlosyne
erodyle, 513
gaudialis, 514
janais, 514
lacinia, 514
Choeroniscus godmani, 574, 583
Choeronycteris, 604
mexicana, 143, 574
Chrotopterus auritus, 574
Chrysanthemum
leucanthemum, 13
maximum, 13
Chrysemys picta, 47–53, 544
Chrysomela scripta, 193, 197
Chrysomelidae, 197, 198
Chrysopidae, 196
Chrysothamnus, 626, 684
nauseosus, 11, 413
Cicadellidae, 132–134
Cichlasoma cyanoguttatum, 452
Ciomara mithrax, 523
Circus cyaneus, 308
Cirsium
acaulon, 12
arvense, 13
nidulum, 495, 496, 504
palustre, 13
pitcheri, 13
Cissia
labe, 505, 508, 509, 516
pseudoconfusa, 516
Cistaceae, 187
Cistothorus palustris, 302
Cladophora, 29
Clark, Jay E., Eric C. Hellgren, and Eric E. Jorgensen, Catastrophic decline of a high-density population of hispid cotton rats (*Sigmodon hispidus*) in central Oklahoma, 467–471
Clemmys guttata, 544

Cline, George R., see Tumlison, Renn, and —
Clippinger, Norman W., see Meaney, Carron A., —
Cnemidophorous, 106
Cnemidophorus, 220
burti, 351, 352
exsanguis, 127, 218, 219, 221
flagellicaudus, 350
grahamii, 693
gularis, 127
neomexicanus, 127, 128
sexlineatus, 127, 128
sonorae, 218, 219, 221, 350–352
tesselatus, 126–129, 685, 692
tigris, 127, 351
uniparens, 351, 352
Coadtractus melon, 520
Codatractus
alcaeus, 520
carolos, 520
yucatanus, 520
Coenagrionidae, 30, 446, 447
Coendou mexicanus, 571, 574
Cofer, Larry M., see Coughlin, Warren D., —
Cogia calchas, 522
Colaptes
atricollis, 69
campestris, 69
chrysoides, 69
melanochloros, 69
pitius, 66, 69
punctigula, 69
rupicola, 69
Cold water on susceptibility of age-0 flannelmouth sucker to predation by rainbow trout, effects of, David L. Ward and Scott A. Bonar, 43–46
Coleogyne, 626
Coleonyx variegatus, 351, 352, 550, 555
Colinus virginianus, 420
Colobura dirce, 514
Cologania
angustifolia, 184
obovata, 181, 184, 187
Colubridae, 550–556
Columbina inca, 561
Commelina, 181, 187
Commelinaceae, 187
Conepatus
leuconotus, 574
mesoleucus, 574
semistriatus, 574
Conga chydaea, 525
Conservation Reserve Program seeding regime on harvester ants (*Pogonomyrmex*), with implications for the threatened Texas horned lizard (*Phrynosoma cornutum*), effects of, Nancy E. McIntyre, 274–277
Consul electra, 515
Contopus sordidulus, 385
Convolvulaceae, 187
Conway, John R., Architecture, population size, myrmecophiles, and mites in an excavated nest of the honeypot ant, *Myrmecocystus mendax* Wheeler, in Arizona, 449–450
Conyza canadensis, 12
Cooley, Christopher R., Aaron O. Floyd, Amy Dolinger, and Paul B. Tucker, Demography and diet of the painted turtle (*Chrysemys picta*) at high-elevation sites in southwestern Colorado, 47–53
Copaeodes minima, 525
Copemys, 250
Cophosaurus texanus, 351, 352
Cordes, James E., see Walker, James M., and —
Cordulidae, 446
Corduliidae, 447
Cordylus cataphractus, 121
Coreopsis bigelovii, 11
Corixidae, 31
Coronilla varia, 493
Corticea
corticea, 523
lysias, 523
Corydalidae, 31
Corydalus, 31
Corynorhinus
mexicanus, 575
townsendii, 575
Cosmos, 181
bipinnatus, 187
Coturnix japonica, 460, 461
Coughlin, Warren D., Anthony A. Echelle, Ronald A. Van Den Bussche, Larry M. Cofer, and William L. Fisher, Genetic structure of spotted bass (*Micropterus punctulatus*) in the Red and Arkansas river basins: microsatellite and mitochondrial DNA variation, 526–533
Coursetia glabella, 181
Cranopsis, 676
Cratogeomys
castanops, 574
fumosus, 574
goldmani, 574
gymnurus, 574
merriami, 574
neglectus, 574, 577
tylorhinus, 574
zinseri, 574
Crepidophryne, 676
Crepidotus mollis, 662, 663, 665
Crepis
capillaris, 12
paludosa, 13
Cricetidae, 270
Crnkovic, Amanda C., Discovery of northern long-eared myotis, *Myotis septentrionalis* (Chiroptera: Vespertilionidae), in Louisiana, 715–717
Crotalaria pumila, 187, 487
Crotalus
atrox, 106, 351
lepidus, 350–353
molossus, 106, 350–352
pricei, 350, 352
tigris, 106
viridis, 106, 353
willardi, 350–353
Crotaphytus
collaris, 282–284, 351, 352
reticulatus, 282–286
Crotophytus collaris, 106
Cruciferae, 231
Cryptotis
goldmani, 575
goodwini, 575, 576
magna, 575
mayensis, 571, 575, 577
mexicana, 575
parva, 575
Cuculidae, 402, 406, 407
Culicidae, 288
Culicoides, 636, 637
Cupressaceae, 187
Cupressus, 179
arizonica, 181–183, 185, 187, 605
lusitanica, 185
Curculionidae, 197, 198
Cyanocitta stelleri, 386
Cyanophrys
fusius, 518
herodotus, 518
longula, 518
Cyclanthera dissecta, 181
Cycloglypha thrasibulus, 523
Cyclopes didactylus, 574
Cyclopoida, 341–346
Cyclops scutifer, 342
Cyllopsis, 516
Cymaenes
fraus, 524
theogenis, 524
trebius, 524
Cynomops greenhalli, 140
Cynomys
ludovicianus, 575
mexicanus, 567–569, 575
Cyperaceae, 187, 442–444
Cyperus, 181
sesslerioides, 181, 182, 187
Cyprinella lutrensis, 667
Cyprinidae, 666–669
Cyprinodon
atorus, 88
elegans, 85–88
macularius, 88
pecosensis, 88
rubrofluviatilis, 88
variegatus, 88, 451, 452
Cyprinus carpio, 57, 362, 667
Cyrtonaias, 334
Cyrtosomum penneri, 211
Czaplewski, Nicholas J., and William D. Peachey, Late Pleistocene bats

from Arkenstone Cave, Arizona, 597–609

Dactylis glomerata, 494, 504
Dalea
filiformis, 184
grayi, 187
leucostachya, 181
viridiflora, 181, 187
Damas clavus, 524
Danaus
eresimus, 516
gilippus, 516
plexippus, 516
Daniel, David L., see Kroll, Andrew J., —
Dasylirion, 598
wheeleri, 636
Dasypeltis, 554
Dasypodidae, 574
Dasyprocta
mexicana, 570, 574
punctata, 574
Dasyproctidae, 574
Dasypus novemcinctus, 574
DDE-induced eggshell thinning in white-faced ibis: a continuing problem in the western United States, Kirke A. King, Brenda J. Zaun, H. Maaike Schotborgh, and Carla Hurt, 356–364
de J. Ortiz, Teresita, see Santos-Moreno, Antonio, —
DeFalco, Lesley A., see Esque, Todd C., —
Delphacidae, 133
Delphinium wislizenii, 181
Demography and diet of the painted turtle (*Chrysemys picta*) at high-elevation sites in southwestern Colorado, Christopher R. Cooley, Aaron O. Floyd, Amy Dolinger, and Paul B. Tucker, 47–53
Dendroica petechia, 296
Dermanura
azteca, 574
phaeotis, 574, 583
tolteca, 142, 143, 574, 582, 583
watsoni, 574
Desert wildfires on desert tortoise (*Gopherus agassizii*) and other small vertebrates, effects of, Todd C. Esque, Cecil R. Schwalbe, Lesley A. DeFalco, Russell B. Duncan, and Timothy J. Hughes, 103–111
Desmodium
batocaulon, 181
neomexicanum, 180, 187
Desmodus, 599
archaeodaptes, 600, 601
draculae, 598, 600–602
rotundus, 143, 574, 583, 600, 601, 604
stocki, 597, 598, 600–602, 604–606
deVos, James C., Jr., see Kamler, Jan F., —
Diadophis punctatus, 351, 352
Diaemus youngi, 574, 600, 601
Diamanus montana, 721
Diclidurus albus, 574
Dicotyles tajacu, 105, 106
Didelphidae, 574
Didelphis
marsupialis, 574
virginiana, 571, 574, 577
Diet of the leaf-nosed snakes, *Phyllorhynchus* (Squamata: Colubridae): squamate-egg specialists, Stephanie A. Gardner and Joseph R. Mendelson, III, 550–556
Diets of three species of knob-scaled lizards (genus *Xenosaurus*) from México, Julio A. Lemos-Espinal, Geoffrey R. Smith, and Royce E. Ballinger, 119–122
Dione juno, 513
Diphylla ecaudata, 574, 600, 601
Dipodomys, 106, 270, 432
compactus, 574
deserti, 574
gravipes, 568, 570, 574
merriami, 567, 574, 576
nelsoni, 137, 574
ordii, 411–418, 574
phillipsi, 574
simulans, 570, 574
spectabilis, 136, 137, 569, 574
Discovery of northern long-eared myotis, *Myotis septentrionalis* (Chiroptera: Vespertilionidae), in Louisiana, Amanda C. Crnkovic, 715–717
Distichlis
palmeri, 472
spicata, 465, 466
Distribution and biomass of *Tropocyclops prasinus mexicanus* (Cyclopoida) in a near-thermally constant environment, Montezuma Well, Arizona, Patricia M. Ellsworth and Dean W. Blinn, 341–346
Distribution and natural history of the hylid frog *Hyla xera* in the Tehuacan-Cuicatlan Valley, Mexico, with a description of the tadpole, Luis Canseco-Márquez, Guadalupe Gutiérrez-Mayén, and Joseph R. Mendelson, III, 670–675
Distribution of bigscale logperch, *Percina macrolepida* (Percidae), in the Arkansas River Basin, Thomas M. Buchanan and Michael M. Stevenson, 454–460
Distribution of Odonata in the Texas Panhandle, with a summary of new state and county records, notes on the, John C. Abbott, Robert A. Behrstock, and Robert R. Larsen, 444–448
Diurnal spacing patterns in kit foxes, a monogamous canid, Katherine Ralls and P. J. White, 432–436
Dives dives, 710
Dolinger, Amy, see Cooley, Christopher R., —
Doroneuria, 30
Doronicum pardalianches, 13
Dorosoma
cepedianum, 452
petenense, 452
Doxocopa
laure, 515
pavon, 515
Drees, Bastiaan M., see Pedersen, Ellen K., —
Dryadula phaetusa, 513
Dryas iulia, 513
Drymaria leptophylla, 187
Dryocopus
galeatus, 69
lineatus, 69
pileatus, 69
schulzi, 69
Duerr, Adam E., see Boal, Clint W., —
Duncan, Russell B., see Esque, Todd C., —
Duncan, Russell B., see Johnson, R. Roy, —
Duncan, William W., Frederick R. Gehlbach, and George A. Middendorf, III, Nocturnal activity of diurnal lizards (*Sceloporus jarrovi, S. virgatus*) eaten by small owls (*Glaucidium gnoma, Otus trichopsis*), 218–222
Dynamine
dyonis, 515
postverta, 515
theseus, 515
Dysticidae, 101

Eantis
tamenund, 523
thraso, 523
Eastern red bat (*Lasiurus borealis*) impaled by a loggerhead shrike (*Lanius ludovicianus*), David L. Sarkozi and Daniel M. Brooks, 301–303
Ebrietas anacreon, 523
Echeandia flavescens, 181
Echelle, Anthony A., see Coughlin, Warren D., —
Echinochloa crusgalli, 236
Eddy, Melissa R., and Frank W. Judd, Phenology of *Acacia berlandieri, A. minuata, A. rigidula, A. schaffneri*, and *Chloroleucon ebano* in the Lower Rio Grande Valley of Texas during a drought, 321–332
Eilers, Anna L., see McColgin, Maureen E., —

Einem, Gerald E., see Phillips, Stephen M., and —
Eira barbara, 574
Elapidae, 705–707
Elbella scylla, 520
Eleagnus angustifolia, 374, 377
Electrostrymon sangala, 519
Eleocharis, 50, 442, 536
montevidensis, 181
Eleofimbris svensonii, 442–444
Eleofimbris svensonii (Cyperaceae) from the late Miocene Ogallala group of western Kansas, Joseph R. Thomasson, 442–444
Eleophora schneideri, 148
Eleutherodactylus
augusti, 350, 673
nitidus, 673
Elgaria kingii, 351, 352
Elliptio, 334
dilatata, 338
popei, 334
Ellsworth, Patricia M., and Dean W. Blinn, Distribution and biomass of *Tropocyclops prasinus mexicanus* (Cyclopoida) in a near-thermally constant environment, Montezuma Well, Arizona, 341–346
Elmidae, 31
Elymus
elymoides, 504
trachycaulis, 493–495, 504
Elyonurus barbiculmis, 181
Emballonuridae, 574, 601
Emesis
aurimna, 517
emesia, 517
lupina, 505, 508, 509, 517
mandana, 517
tegula, 517
tenedia, 517
Empididae, 31
Empidonax
albigularis, 709
virescens, 294
Enallagma
basidens, 446
carunculatum, 446, 447
civile, 446
clausum, 445
signatum, 446, 447
Encelia farinosa, 203, 559
Enchisthenes hartii, 574
Epargyreus
exadeus, 520
spina, 520
Ephedra trifurca, 482, 483
Ephoron, 30
Epilobium angustifolium, 504
Epitheca costalis, 446, 447
Eptesicus
brasiliensis, 575
furinalis, 575
fuscus, 132, 575, 715
Equisetum laevigatum, 181
Equus, 406
Eragrostis, 559
curvula, 274–275
erosa, 187
Eremarionta immaculata, 202–207
Erethizon dorsatum, 574
Erethizontidae, 574
Eriastrum diffusum, 11
Ericaceae, 187
Erigeron
hacer, 12
pumila, 494, 496, 504
sumatrensis, 12
Eriochloa acuminata, 187
Eriogonum abertianum, 484, 487
Eriophyllum wallacei, 11
Erpetogomphus, 30
Eryngium heterophyllum, 180, 184
Eryphanis aesacus, 516
Erythemis simplicicollis, 446
Escalante, Tania, David Espinosa, and Juan J. Morrone, Using parsimony analysis of endemicity to analyze the distribution of Mexican land mammals, 563–578
Escalona-Segura, Griselda, see Garza-Torres, Héctor A., —
Esenbeckia, 506
Esox lucius, 224
Espinosa, David, see Escalante, Tania, —
Esque, Todd C., Cecil R. Schwalbe, Lesley A. DeFalco, Russell B. Duncan, and Timothy J. Hughes, Effects of desert wildfires on desert tortoise (*Gopherus agassizii*) and other small vertebrates, 103–111
Estabrook, Tracy S., see Boal, Clint W., —
Estrada-Castillón, Eduardo, Enrique Jurado, José J. Navar, Javier Jiménez-Pérez, and Fortunato Garza-Ocañas, Plant associations of Cumbres de Majalca National Park, Chihuahua, Mexico, 177–187
Etheostoma
cragini, 89–92
microperca, 89–92
Euarestoides acutangulus, 7
Eucyclops, 341
Euderma maculatum, 575
Eudocimus ruber, 708
Eueides
aliphera, 513
isabella, 513
Euhoplopsyllus glacialis, 721
Eumaeus
toxea, 518
obsoletus, 351, 352
Eumops
auripendulus, 574
bonariensis, 574
glaucinus, 574
hansae, 574
perotis, 138–140, 142, 143, 574
underwoodi, 574
Eunica
alcmena, 514
monima, 514
tatila, 514
Eupatorium, 11
cannabinum, 13
chinense, 12
maculatum, 12
perfoliatum, 12
Euphorbia
heterophylla, 180, 187
micromera, 488
serpyllifolia, 487
serrula, 484, 487
Euphorbiaceae, 187
Euptoieta
claudia, 513
hegesia, 513
Eurema
albula, 513
arbela, 513
daira, 506, 513
Eurycea tynerensis, 93–95
Euselasia
aurantiaca, 516
chrysippe, 516
mystica, 516
sergia, 516
Euthamia galetorum, 12
Evenus regalis, 518
Everes comyntas, 518
Evolvulus alsinoides, 187
Examination of interaction effects of multiple disturbances on an arid plant community, Thomas J. Valone, 481–490

Fabaceae, 187
Factors influencing expansion of the breeding distribution of Bewick's wren into riparian forests of the Rio Grande in central New Mexico, Robert V. Taylor, 373–382
Fagaceae, 187
Falco
femoralis, 397
mexicanus, 361
Farley, Greg H., see Timson, Jamie E., and —
Farris, Jerry L., see Maul, Jonathan D., and —
Fedynich, Alan M., see Kloss, Christopher L., —
Felidae, 574
Ferocactus, 598
cylindraceus, 203
Festuca
ovina, 493–496, 504
rubra, 493
Ficus, 142, 580, 582–585, 587

colubrinae, 581, 586
yoponensis, 581
Fimbristylis, 442
Fish, Ernest B., see Avey, Josh T., —
Fisher, William L., see Coughlin, Warren D., —
Fitzpatrick, Thomas A., see Mooring, Michael S., —
Flight speeds of four species of Neotropical bats, Heidi L. Hopkins, Cornelio Sánchez-Hernández, María de Lourdes Romero-Almaraz, L. Michelle Gilley, Gary D. Schnell, and Michael L. Kennedy, 711–714
Flood on relative abundance and diversity of small mammals in a regenerating bottomland hardwood forest, effects of a, Michael J. Chamberlain and Bruce D. Leopold, 306–309
Flourensia cernua, 1–13, 482, 646
Floyd, Aaron O., see Cooley, Christopher R., —
Food habits of a paedomorphic population of the Mexican salamander, *Ambystoma ordinarium* (Caudata: Ambystomatidae), Javier Alavarado-Diaz, Pedro Garcia-Garrido, and Ireri Suazo-Ortuño, 100–102
Food habits of *Nyctinomops macrotis* at a maternity roost in New Mexico, as indicated by analysis of guano, Dale W. Sparks and Ernest W. Valdez, 132–135
Foraging mode of the reticulate collared lizard, *Crotaphytus reticulatus*, Jerry F. Husak and Emily N. Ackland, 282–286
Formicidae, 101, 133, 198, 419
Fountainea eurpyle, 515
Fouquieriaceae, 187
Fouquieria
diguetii, 472
splendens, 3, 181, 187, 636, 693
Foutainea glycerium, 515
Foxella ignotga, 721
Foxes, fleas, and plague in New Mexico, Robert L. Harrison, Michael J. Patrick, and C. Gregory Schmitt, 720–722
Francisella tularensis, 263, 266
Franquenia palmeri, 472
Fraser, Ian C., see Mooring, Michael S., —
Fraxinus velutina, 181–183, 185, 187
Free-tailed bats (Chiroptera: Molossidae) from Durango, Mexico, noteworthy records of, Raúl Muñiz-Martínez, Celia López-González, Joaquín Arroyo-Cabrales, and Manuel Ortiz Gómez, 138–144
Frese, Paul W., Alicia Mathis, and Robert Wilkinson, Population characteristics, growth, and spatial activity of *Siren intermedia* in an intensively managed wetland, 534–542
Frisonla, 30
Frugivorous bats in isolated trees and riparian vegetation associated with human-made pastures in a fragmented tropical landscape, Jorge Galindo-González and Vinicio J. Sosa, 579–589
Fundulus grandis, 451, 452

Gaillardia
multiceps, 12
pinnatifida, 12
pulchella, 11
Galictis vittata, 574
Galindo-González, Jorge, and Vinicio J. Sosa, Frugivorous bats in isolated trees and riparian vegetation associated with human-made pastures in a fragmented tropical landscape, 579–589
Galinsoga parviflora, 12
Galium munzii, 504
Gambelia, 283
copei, 284
wislizenii, 106, 284
Gambusia
affinis, 86, 451, 452, 667
nobilis, 86
Gametogenetic cycle, reproductive anatomy, and larval morphology of *Popenaias popeii* (Unionoida) from the Black River, New Mexico, Douglas G. Smith, Brian K. Lang, and Mark E. Gordon, 333–340
Ganyra josephina, 513
Garcia-Garrido, Pedro, see Alavarado-Diaz, Javier, —
Gardner, Stephanie A., and Joseph R. Mendelson, III, Diet of the leaf-nosed snakes, *Phyllorhynchus* (Squamata: Colubridae): squamate-egg specialists, 550–556
Garrya ovata, 181, 187
Garryaceae, 187
Garza-Ocañas, Fortunato, see Estrada-Castillón, Eduardo, —
Garza-Torres, Héctor A., J. Rafael Herrera-Herrera, Griselda Escalona-Segura, Jorge A. Vargas-Contreras, and Adolfo G. Navarro S., New bird records from Tamaulipas, Mexico, 707–710
Gastrointestinal helminths of seven species of sceloporine lizards from Mexico, Stephen R. Goldberg, Charles R. Bursey, and José L. Camarillo-Rangel, 208–217
Gastropoda, 14–22, 202–207
Gehlbach, Frederick R., Body size variation and evolutionary ecology of eastern and western screech-owls, 70–80
Gehlbach, Frederick R., see Duncan, William W., —
Geluso, Kenneth N., see Best, Troy L., and —
Genetic structure of spotted bass (*Micropterus punctulatus*) in the Red and Arkansas river basins: microsatellite and mitochondrial DNA variation, Warren D. Coughlin, Anthony A. Echelle, Ronald A. Van Den Bussche, Larry M. Cofer, and William L. Fisher, 526–533
Gentianella amarella, 181
Geococcyx, 116
californianus, 290, 402–410
conklingi, 403–405
velox, 402
Geomyidae, 270, 574
Geomys
arenarius, 574
personatus, 574
tropicalis, 574
Geothlypis trichas, 301
Geraea canescens, 11
Geranium wislizenii, 181
Gerrhonotus
infernalis, 214
liocephalus, 214
Gesta invisus, 523
Gigantolaelaps, 450
Gila
cypha, 43
intermedia, 667
robusta, 667
Gilley, L. Michelle, see Hopkins, Heidi L., —
Glaucidium
brasilianum, 221, 389–401
californicum, 221
gnoma, 218–222
Glaucomys volans, 575
Glebula rotundata, 338
Glossina, 639
Glossophaga, 143
commissarisi, 574
leachii, 574
morenoi, 574
soricina, 574, 583
Glutophrissa drusilla, 513
Gochnatia hypoleuca, 2, 11
Goheen, Jacob R., Glennis A. Kaufman, and Donald W. Kaufman, Effect of body size on reproductive characteristics of the northern grasshopper mouse in north-central Kansas, 427–431
Goldberg, Stephen R., Charles R. Bursey, and José L. Camarillo-Rangel, Gastrointestinal helminths of seven species of sceloporine lizards from Mexico, 208–217
Gomphidae, 30, 446, 447

Gomphurus externus, 446
Gomphus, 30
externus, 446, 447
Gongylonema, 213
González-Pérez, Graciela, see Santos-Moreno, Antonio, —
Gopherus
agassizii, 103–111, 350
polyphemus, 107
Gordon, Mark E., see Smith, Douglas G., —
Gorgythion
begga, 522
vox, 522
Grais stigmaticus, 523
Grant, William E., see Pedersen, Ellen K., —
Green, Larry A., see Kamler, Jan F., —
Greer, Vicki L., see Hutton, Kelly A., —
Grubb, Teryl G., Wintering bald eagle trends in northern Arizona, 1975–2000, 223–230
Gryllidae, 133
Guaiacum sanctum, 506
Gutiérrez-Mayén, Guadalupe, see Canseco-Márquez, Luis, —
Gutierrezia sarothrae, 262, 482, 483, 504
Guzmán-Dávalos, Laura, see Munguia, Pablo, —
Gymnarrhena micrantha, 11
Gymnolaelaps, 449, 450
Gymnosperma glutinosum, 11, 180

Habitat characteristics of *Asmunella* (Gastropoda: Pulmonata: Polygyridae) at White Sands Missile Range and Fort Bliss, New Mexico, Andrew J. Kroll, Ken Boykin, Mark C. Andersen, Bruce C. Thompson, and David L. Daniel, 14–22
Habitat relationships between sympatric mule deer and white-tailed deer in Texas, Josh T. Avey, Warren B. Ballard, Mark C. Wallace, Mary H. Humphrey, Paul R. Krausman, Fielding Harwell, and Ernest B. Fish, 644–653
Habromys
chinanteco, 574
lepturus, 574
lophurus, 574
simulatus, 574
Haden, G. Allen, Joseph P. Shannon, Kevin P. Wilson, and Dean W. Blinn, Benthic community structure of the Green and Colorado rivers through Canyonlands National Park, Utah, USA, 23–35
Haematoxylon campechianum, 310, 506
Haemoproteus, 288
meleagridis, 287
Haight, Lois T., see Johnson, R. Roy, —
Haliaeetus leucocephalus, 223–230
Hamadryas
amphinome, 514
februa, 514
feronia, 514
guatemalena, 514
julitta, 514
Haplopappus
gracilis, 11
macronema, 504
tenuisectus, 482
Haplopapus tenuisectus, 559
Hargrave, Chad W., and James E. Johnson, Status of Arkansas darter, *Etheostoma cragini*, and least darter, *E. microperca*, in Arkansas, 89–92
Harris, Lisa K., see Landon, Deborah M., —
Harrison, Robert L., Michael J. Patrick, and C. Gregory Schmitt, Foxes, fleas, and plague in New Mexico, 720–722
Harrison, Robert L., Swift fox demography, movements, denning, and diet in New Mexico, 261–273
Harwell, Fielding, see Avey, Josh T., —
Haukos, David A., see Anderson, James T., and —
Haynie, Michelle L., see Bradley, Robert D., —
Hedypnois cretica, 11
Helianthemum glomeratum, 181
Helias cama, 523
Helichrysum
bracteatum, 11
cassinianum, 12
Heliconius
charitonia, 513
erato, 513
Heliopetes
alana, 523
arsalte, 523
macaira, 523
Helipterum
charlesaye, 11
craspedioides, 11
floribundum, 11
tietkensii, 11
Hellgren, Eric C., see Clark, Jay E., —
Helmitheros
vermivorous, 294
vermivorus, 297–299
Heloderma suspectum, 106, 351
Helvella
crispa, 662, 663
macropus, 662, 663, 665
Hemerobiidae, 133
Hemerodromia, 31
Hemiargus ceraunus, 518
Henke, Scott E., Baseline survey of Texas horned lizards, *Phrynosoma cornutum*, in Texas, 278–282
Heptagenia, 30
Heptageniidae, 30
Heraclides
cresphontes, 512
thoas, 512
Hermeuptychia hermes, 516
Herpailurus yagouaroundi, 136, 137, 574
Herrera-Herrera, J. Rafael, see Garza-Torres, Héctor A., —
Hesperiidae, 506, 508, 509, 520
Hesperioidea, 505–525
Hesperocorixa, 31
Hesperostipa comata, 262
Hetaerina americana, 446
Heterodon nasicus, 350
Heteromyidae, 270, 574
Heteromys
desmarestianus, 568, 574, 577
gaumeri, 311, 571, 574
Heteropogon contortus, 181, 182, 187
Heterotheca latifolia, 11
Hilaria
belangeri, 187
jamesii, 626
mutica, 3
Historis
acheronta, 514
odius, 514
Hodomys alleni, 574
Holbrookia maculata, 351, 352
Holm, Peter A., see Turner, Dale S., —
Home range, habitat use, and diet of Gould's turkeys, Peloncillo Mountains, New Mexico, Darryl L. York and Sanford D. Schemnitz, 231–240
Homoeoneuria, 30
Hopkins, Heidi L., Cornelio Sánchez-Hernández, María de Lourdes Romero-Almaraz, L. Michelle Gilley, Gary D. Schnell, and Michael L. Kennedy, Flight speeds of four species of Neotropical bats, 711–714
Hughes, John P., see Robel, Robert J., —
Hughes, Timothy J., see Esque, Todd C., —
Huleechius, 31
Humphrey, Mary H., see Avey, Josh T., —
Hurt, Carla, see King, Kirke A., —
Hurt, Carla, see Zaun, Brenda J., —
Husak, Amanda L., see Husak, Michael S., and —
Husak, Jerry F., and Emily N. Ackland, Foraging mode of the reticulate collared lizard, *Crotaphytus reticulatus*, 282–286
Husak, Michael S., and Amanda L. Husak, Latitudinal patterns in range sizes of New World woodpeckers, 61–69
Hutton, Kelly A., John L. Koprowski, Vicki L. Greer, Marit I. Alanen, Carol A. Schauffert, and Paul J. Young, Use of mixed-conifer and

spruce-fir forests by an introduced population of Abert's squirrels (*Sciurus aberti*), 257–260
Huxley, Carmen, see Servín, Jorge, —
Hyalella montezuma, 341, 344
Hybridization between white-tailed deer and mule deer, implications of, Robert D. Bradley, Fred C. Bryant, Lisa C. Bradley, Michelle L. Haynie, and Robert J. Baker, 654–660
Hydrophilidae, 101
Hydropsyche, 30
Hydropsychidae, 30
Hydroptila, 30
Hydroptilidae, 30
Hydrotaea irritans, 639
Hygrophoropsis aurantiaca, 662, 663
Hyla
arenicolor, 351, 352, 674
bistincta, 673
chimalapa, 670, 672
miotympanun, 673
smaragdina, 670, 671
sumichrasti, 670, 671, 673
xera, 670–675
Hylephila phyleus, 525
Hylonycteris underwoodi, 574
Hymenoxys
cooperi, 494, 496, 504
herbacea, 13
Hypholoma fasciculare, 662, 663, 665
Hypochoeris radicata, 13
Hypohippus, 250

Ichneumonidae, 132–134
Ictalurus, 224
punctatus, 43, 86, 667
Icteria virens, 296
Icterus
bullockii, 77
galbula, 77
Indigofera montana, 181
Inocybe geophylla, 662, 663, 665
Insect-defense behavior by desert bighorn sheep, Michael S. Mooring, Thomas A. Fitzpatrick, Ian C. Fraser, Jill E. Benjamin, Dominic D. Reisig, and Tara T. Nishihira, 635–643
Intraspecific helping behavior exhibited by hatch-year house wren, Jamie E. Timson and Greg H. Farley, 300–301
Inula conyza, 13
Iresine heterophylla, 181
Ischnura
barberi, 446
damula, 446, 447
demorsa, 446, 447
denticollis, 446
posita, 446, 447
verticalis, 446, 447
Isogenoides, 30
Isonychia, 30
Isonychiidae, 30
Isoperla, 30
Ixobrychus exilis, 360

Jefea brevifolia, 180, 187
Jiménez-Pérez, Javier, see Estrada-Castillón, Eduardo, —
Johnson, James E., see Hargrave, Chad W., and —
Johnson, R. Roy, Jean-Luc E. Cartron, Lois T. Haight, Russell B. Duncan, and Kenneth J. Kingsley, Cactus ferruginous pygmy-owl in Arizona, 1872–1971, 389–401
Jorgensen, Eric E., see Clark, Jay E., —
Jouvea pilosa, 472
Judd, Frank W., see Eddy, Melissa R., and —
Juditha molpe, 518
Juncus, 536
Juniperus, 114, 133, 179, 366, 374, 384, 404, 646, 723
coahuilensis, 185
communis, 492, 494–497, 499, 504
deppeana, 181–185, 187, 231, 235
monosperma, 177, 182–184, 187, 626, 636
osteosperma, 626
scopulorum, 224
Junonia evarete, 513
Jurado, Enrique, see Estrada-Castillón, Eduardo, —

Kamler, Jan F., Larry A. Green, and Warren B. Ballard, Recent occurrence of black bears in the southwestern Great Plains, 303–306
Kamler, Jan F., Raymond M. Lee, James C. deVos, Jr., Warren B. Ballard, and Heather A. Whitlaw, Mortalities from climbing accidents of translocated bighorn sheep in Arizona, 145–147
Kamler, Jan F., see McCaffrey, Rachel E., —
Kaufman, Donald W., see Goheen, Jacob R., —
Kaufman, Glennis A., see Goheen, Jacob R., —
Keane, Timothy D., see Robel, Robert J., —
Kemp, Kenneth E., see Robel, Robert J., —
Kennedy, Michael L., see Hopkins, Heidi L., —
King, Kirke A., Brenda J. Zaun, H. Maaike Schotborgh, and Carla Hurt, DDE-induced eggshell thinning in white-faced ibis: a continuing problem in the western United States, 356–364
King, Kirke A., see Zaun, Brenda J., —
Kingsley, Kenneth J., see Johnson, R. Roy, —
Kinosternidae, 543–549
Kinosternon sonoriense, 351
Kloss, Christopher L., Alan M. Fedynich, and Bart M. Ballard, Survey of blood parasites in Ross' and white-fronted geese in southern Texas, 286–289
Knowles, Glen W., see Marsh, Paul C., —
Koenen, Kiana K. G., see Landon, Deborah M., —
Koprowski, John L., see Hutton, Kelly A., —
Koprowski, John L., see McColgin, Maureen E., —
Krausman, Paul R., see Avey, Josh T., —
Krausman, Paul R., see Landon, Deborah M., —
Kricogonia lyside, 513
Kroll, Andrew J., Ken Boykin, Mark C. Andersen, Bruce C. Thompson, and David L. Daniel, Habitat characteristics of *Asmunella* (Gastropoda: Pulmonata: Polygyridae) at White Sands Missile Range and Fort Bliss, New Mexico, 14–22

Lacertilia, 700–705
Lachlania, 30
Lactarius deliciosus, 662, 663, 665
Lactuca serriola, 11
Lamiaceae, 187
Lampropeltis pyromelana, 350, 351
Lamprospilus collucia, 519
Landau, Fred, see Titus, Jonathan H., and —
Landon, Deborah M., Paul R. Krausman, Kiana K. G. Koenen, and Lisa K. Harris, Pronghorn use of areas with varying sound pressure levels, 725–728
Lang, Brian K., see Smith, Douglas G., —
Lanius, 115
ludovicianus, 301–303, 557–562
Lapsana communis, 12
Larrea
divaricata, 203
tridentata, 3, 550, 684, 693
Larsen, Robert R., see Abbott, John C., —
LaRue, Charles T., see Mikesic, David G., and —
Lasionycteris noctivagans, 575, 577
Lasiurus
blossevillii, 575
borealis, 301–303, 575, 713, 715
cinereus, 143, 575
ega, 575
intermedius, 575
xanthinus, 575
Late Pleistocene bats from Arkenstone

Cave, Arizona, Nicholas J. Czaplewski and William D. Peachey, 597–609
Late Pleistocene roadrunner (*Geococcyx*) from Kartchner Caverns State Park, southeastern Arizona, Mary C. Carpenter and Jim I. Mead, 402–410
Latitudinal patterns in range sizes of New World woodpeckers, Michael S. Husak and Amanda L. Husak, 61–69
Launaea arborescens, 11
Lauraceae, 580
Lecane, 342
Lee, Raymond M., see Kamler, Jan F., —
Lee, Raymond M., see Rachlow, Janet L., —
Lee, Thomas E., Jr., see Brannan, Daniel K., —
Lemonias agave, 518
Lemos-Espinal, Julio A., Geoffrey R. Smith, and Royce E. Ballinger, Diets of three species of knob-scaled lizards (genus *Xenosaurus*) from México, 119–122
Lemos-Espinal, Julio A., see Smith, Geoffrey R., —
Lemos-Espinal, Julio A., see Smith, Hobart M., —
Lemos-Espinal, Julio A., see Taylor, Harry L., —
Leontodon
autumnalis, 11, 13
hispidus, 13
Leopardus
pardalis, 136, 137, 574
wiedii, 136, 137, 574
Leopold, Bruce D., see Chamberlain, Michael J., and —
Lepomis
gulosus, 452
macrochirus, 224, 452
Leporidae, 270, 574
Leptoceridae, 30
Leptochloa dubia, 187
Leptonycteris, 604
curasoae, 574
nivalis, 574
Leptophlebiidae, 30
Leptotes cassius, 518
Lepus
alleni, 574
americanus, 314, 474, 730
californicus, 106, 570, 574
callotis, 574
flavigularis, 568, 570, 574
Lerema
accius, 524
liris, 524
lochius, 524
Lerodea
arabus, 525
eufala, 525
Lesquerella hitchcockii, 504
Lestes
alacer, 446
disjunctus, 446
rectangularis, 446
Lestidae, 446
Leucocytozoon
simondi, 286–288
smithi, 287
Libellula
luctuosa, 446
saturata, 446
Libellulidae, 446, 447
Libytheana carinenta, 516
Lichonycteris obscura, 574, 577
Life history characteristics among syntopic assemblages of parthenogenetic species: two color pattern classes of *Aspidoscelis tesselata*, *A. exsanguis*, *A. flagellicauda*, and three color pattern classes of *A. sonorae* (Squamata: Teiidae), comparison of, Harry L. Taylor and Yadira Caraveo, 685–692
Linanthastrum nuttallii, 496, 504
Linum lewisii, 494, 504
Liomys
irroratus, 574, 577
pictus, 574, 577
salvini, 574
spectabilis, 574
Liquidambar, 119
styraciflua, 293
Loasaceae, 187
Lonchocarpus yucatanensis, 506
Lonchorhina aurita, 574
Longnecker, Michael T., see Pedersen, Ellen K., —
Lontra longicaudis, 136, 137, 312–313, 574
López-González, Celia, see Muñiz-Martínez, Raúl, —
Lubow, Bruce C., see Meaney, Carron A., —
Lucania parva, 452
Lumbriculidae, 101
Lupinus, 385
Lycaenidae, 509, 516
Lycorea halia, 516
Lycurus
phleoides, 177, 179–182, 184, 185, 187
setosus, 180, 181
Lygaeidae, 133, 197, 198
Lynx rufus, 574, 651
Lytle, David A., Reconstructing long-term flood regimes with rainfall data: effects of flood timing on caddisfly populations, 36–42

Macdonaldius grassi, 212, 214
Mackessy, Stephen P., see Montgomery, Chad E., and —
Macrocyclops albidus, 341
Macromycete phenological approximations in western Mexican forests, Pablo Munguia, Laura Guzmán-Dávalos, and Olivia Rodríguez, 661–665
Macrophyllum macrophyllum, 574, 577
Macroptilium gibbosifolium, 181
Macrotus
californicus, 574
waterhousii, 574
Madoqua kirki, 432
Magnastigma elsa, 519
Magneuptychia libye, 516
Malphigiaceae, 187
Malvaceae, 187
Mammals from Durango, Mexico, new records of, Jorge Servín, Elías Chacón, Nicolás Alonso-Pérez, and Carmen Huxley, 136–138
Mammillaria, 472, 598
Mammuthus exilis, 605
Manataria maculata, 516
Mandevillea foliosa, 181
Manilkara
chicle, 506
zapota, 506
Marmosa
canescens, 574
mexicana, 571, 574
Marmosidae, 574
Marpesia
chiron, 515
petreus, 515
Marsh, Paul C., Brian E. Bagley, Glen W. Knowles, Gary Schiffmiller, and Patricia A. Sowka, New and rediscovered populations of loach minnow, *Tiaroga cobitis* (Cyprinidae), in Arizona, 666–669
Martin, James B., see Pedersen, Ellen K., —
Martínez, Aixchel Maya, see Pozo, Carmen, —
Martínez, Armando Luis, see Pozo, Carmen, —
Masticophis
bilineatus, 351, 352
flagellum, 351
Mathis, Alicia, see Frese, Paul W., —
Matricaria matricarioides, 12
Maul, Jonathan D., and Jerry L. Farris, Unusual occurrence of worm-eating warbler (*Helmintheros vermivorus*) in intensive agricultural landscape in northeastern Arkansas, 297–299
Maytenus schippi, 506
Mazama americana, 574
McCaffrey, Rachel E., Mark C. Wallace, Jan F. Kamler, and James D. Ray, Noteworthy distributional records of the prairie vole in the Texas and Oklahoma panhandles, 717–719

McColgin, Maureen E., Erica J. Brown, Sophia M. Bickford, Anna L. Eilers, and John L. Koprowski, Use of century plants (*Agave palmeri*) by coatis (*Nasua narica*), 722–725
McIntyre, Nancy E., Effects of Conservation Reserve Program seeding regime on harvester ants (*Pogonomyrmex*), with implications for the threatened Texas horned lizard (*Phrynosoma cornutum*), 274–277
McNeely, David L., and Cara E. Wade, Relative abundance of the gynogen *Poecilia formosa* and its sexual host *Poecilia latipinna* (Teleostei: Poeciliidae) in some southern Texas habitats, 451–453
Mead, Jim I., see Carpenter, Mary C., and —
Meaney, Carron A., Anne K. Ruggles, Bruce C. Lubow, and Norman W. Clippinger, Abundance, survival, and hibernation of Preble's meadow jumping mice (*Zapus hudsonius preblei*) in Boulder County, Colorado, 610–623
Mechanitis
menapis, 508, 516
polymnia, 508, 516
Meda fulgida, 667
Medellín, Rodrigo A., see Zarza, Heliot, —
Medicago sativa, 493–495, 504
Megadontomys
cryophilus, 574, 577
nelsoni, 574, 576
thomasi, 574
Megasorex gigas, 575
Melampodium strigosum, 181
Melanerpes
aurifrons, 69
cactorum, 69
candidus, 69
carolinus, 69
chrysauchen, 69
chrysogenys, 69
cruentatus, 69
flavifrons, 69
formicivorus, 69
hoffmani, 69
hypopolius, 69
pucherani, 69
pygmaeus, 69
rubricapillus, 69
uropygialis, 69
Melanis pixe, 517
Melastomataceae, 581
Meleagris gallopavo, 231–240, 287
Melilotus indica, 493–495, 504
Melospiza georgiana, 302
Memphis
artacaena, 515
forreri, 515
hedemanni, 515
phila, 515
pithyusa, 515
Mendelson, Joseph R., III, see Canseco-Márquez, Luis, —
Mendelson, Joseph R., III, see Gardner, Stephanie A., and —
Mendelson, Joseph R., III, see Pramuk, Jennifer B., and —
Menidia beryllina, 451, 452
Mentzelia mexicana, 187
Mephitis
macroura, 574
mephitis, 386, 574
Mertensophryne, 676
Mesene silaris, 517
Mesocestoides, 208–211, 213, 214, 217
Mesosemia tetrica, 516
Mestra dorcas, 514
Methionopsis ina, 524
Michaelus ira, 519
Micrarionta immaculata, 202
Micrathene whitneyi, 77, 218, 391
Microchloa kunthii, 179, 181, 182, 187
Microcylloepus, 31
Microlepisma deserticola, 450
Micronycteris
brachyotis, 568, 570, 574–575
megalotis, 575
schmidtorum, 569, 571, 575
sylvestris, 575
Micropterus
coosae, 527
dolomieu, 526, 527, 667
pseudaplites, 526
punctulatus, 526–533
salmoides, 452, 527, 667
Microtus, 270
californicus, 568, 570, 574
guatemalensis, 574, 576
mexicanus, 574
oaxacensis, 574
ochrogaster, 616, 717–719
pennsylvanicus, 574, 616
quasiater, 574
umbrosus, 574
Micrurus
fulvius, 705
nebularis, 705, 706
pachecogili, 705–707
Middendorf, George A., III, see Duncan, William W., —
Mikesic, David G., and Charles T. LaRue, Recent status and distribution of red foxes (*Vulpes vulpes*) in northeastern Arizona and southeastern Utah, 624–634
Milla biflora, 181
Miller, Harvey W., see Ray, James D., –
Miller, Michael S., Kenneth R. Wilson, and Douglas C. Andersen, Ord's kangaroo rats living in floodplain habitats: factors contributing to habitat attraction, 411–418
Mimon
benettii, 575
crenolatum, 569, 571, 575
Mimosa, 123
aculeaticarpa, 179, 180, 183, 185, 187
biuncifera, 636, 693
dysocarpa, 180, 187
pringlei, 181
Ministrymon
azia, 519
una, 519
Mixed-conifer and spruce-fir forests by an introduced population of Abert's squirrels (*Sciurus aberti*), use of, Kelly A. Hutton, John L. Koprowski, Vicki L. Greer, Marit I. Alanen, Carol A. Schauffert, and Paul J. Young, 257–260
Mnaseas bicolor, 524
Mnasicles
geta, 524
hicetaon, 524
Mniotilta varia, 294
Mollugo
cerviana, 487, 488
verticellata, 487
Molossidae, 138–144, 574, 582, 583, 601
Molossops greenhalli, 138–140, 142, 143, 574
Molossus
ater, 138, 140, 142, 143
aztecus, 143, 574
coibensis, 574
molossus, 138, 140, 142, 143, 574
rufus, 574, 583, 585
sinaloae, 574
Molothrus ater, 296, 383, 462, 466
Monarda citiodora, 181
Monardella odoratissima, 494, 496, 504
Monca
telata, 505, 508, 524
tyrtaeus, 524
Monnina wrightii, 181
Monostyla, 342
Montaña, Carlos, see Valencia-Díaz, Susana, and —
Montgomery, Chad E., and Stephen P. Mackessy, Natural history of the Texas horned lizard, *Phrynosoma cornutum* (Phrynosomatidae), in southeastern Colorado, 111–118
Mooring, Michael S., Thomas A. Fitzpatrick, Ian C. Fraser, Jill E. Benjamin, Dominic D. Reisig, and Tara T. Nishihira, Insect-defense behavior by desert bighorn sheep, 635–643
Moraceae, 580, 581
Mormoopidae, 574, 582, 583, 601
Mormoops megalophylla, 574, 583, 711–714
Morpho achilles, 515
Morphological characteristics of a new-

ly discovered population of *Aspidoscelis tesselata* (Squamata: Teiidae) from Chihuahua, México, the identity of an associated hybrid, and a pattern of geographic variation, Harry L. Taylor, Julio A. Lemos-Espinal, and Hobart M. Smith, 692–700
Morrone, Juan J., see Escalante, Tania, —
Mortalities from climbing accidents of translocated bighorn sheep in Arizona, Jan F. Kamler, Raymond M. Lee, James C. deVos, Jr., Warren B. Ballard, and Heather A. Whitlaw, 145–147
Morys
grisa, 524
valerius, 524
Mugil cephalus, 452
Muhlenbergia, 179
crispiseta, 187
eludens, 187
emersleyi, 181, 184, 185, 187, 235
fragilis, 187
macroura, 182, 184, 187
majalcensis, 177, 181, 185
metcalfei, 181, 182, 187
minutissima, 177, 181, 182, 187
montana, 181, 182, 184, 187
pubescens, 184, 187
rigida, 182
Munguia, Pablo, Laura Guzmán-Dávalos, and Olivia Rodríguez, Macromycete phenological approximations in western Mexican forests, 661–665
Muñiz-Martínez, Raúl, Celia López-González, Joaquín Arroyo-Cabrales, and Manuel Ortiz Gómez, Noteworthy records of free-tailed bats (Chiroptera: Molossidae) from Durango, Mexico, 138–144
Muridae, 270, 310–312, 471–472, 574
Murphy, John F., Eric T. Simandle, and Dawne E. Becker, Population status and conservation of the black toad, *Bufo exsul*, 54–60
Mus musculus, 616
Musca, 637
autumnalis, 640
Musonycteris harrisoni, 575
Mustela frenata, 386, 574
Mustelidae, 574
Mycelis muralis, 13
Mylon
menippus, 522
pelopidas, 522
Myotis, 143
albescens, 575
auriculacea, 575
austroriparius, 715
californica, 575
californicus, 603, 605
carteri, 575
ciliolabrum, 575, 603, 605
elegans, 575
evotis, 568, 570, 575
findleyi, 575, 577
fortidens, 575
keaysi, 575, 583
lucifuga, 575
lucifugus, 132
nigricans, 575
peninsularis, 575
planiceps, 567, 569, 575
septentrionalis, 715–717
thysanodes, 575, 597, 600, 602–606
velifera, 575
vivesi, 575
volans, 575
yumanensis, 575, 603, 605
Myrmecocystus mendax, 449–450
Myrmecophagidae, 574
Myrmecophilia, 449, 450
Myscelia
cyaniris, 514
ethusa, 514
Myscelus amystis, 520

Napaea umbra, 517
Narcosius parisi, 521
Nascus phocus, 521
Nassella, 443
Nastra leucone, 524
Nasturtium officinale, 91
Nasua, 603
narica, 575, 722–725
nasua, 571
Natalidae, 574, 601
Natalus stramineus, 574
Natural history of the Texas horned lizard, *Phrynosoma cornutum* (Phrynosomatidae), in southeastern Colorado, Chad E. Montgomery and Stephen P. Mackessy, 111–118
Navar, José J., see Estrada-Castillón, Eduardo, —
Navarro S., Adolfo G., see Garza-Torres, Héctor A., —
Nectandra ambigens, 580
Nectopsyche, 30
Nelson, S. Mark, see Andersen, Douglas C., and —
Nelsonia
goldmani, 574, 578
neotomodon, 574
Neoelmis, 31
Neotoma, 106, 270, 605
albigula, 574, 576
angustapalata, 574
bryanti, 574, 578
fuscipes, 568, 570, 574
goldmani, 574
lepida, 472, 568, 574, 576
martinensis, 574, 578
mexicana, 574, 576, 578, 616
micropus, 574
nelsoni, 574, 578
palatina, 574
phenax, 574
Neotomodon alstoni, 574
Neoxeniades luda, 525
Nessaea aglaura, 514
Nica flavilla, 515
Nimbaphrynoides, 676
Nishihira, Tara T., see Mooring, Michael S., —
Nisoniades
godma, 522
rubescens, 522
Nitidulidae, 198
Noctilio
albiventris, 574
leporinus, 574
Noctilionidae, 574, 601
Nocturnal activity of diurnal lizards (*Sceloporus jarrovi*, *S. virgatus*) eaten by small owls (*Glaucidium gnoma*, *Otus trichopsis*), William W. Duncan, Frederick R. Gehlbach, and George A. Middendorf, III, 218–222
Nolina
microcarpa, 235
texana, 180, 181, 184, 187
Notheme erota, 517
Nothofagus, 66
Notholaena, 181
Notiosorex crawfordi, 575, 576
Notonecta, 31
Notonectidae, 31, 101
Nuphar, 50
Nycticeius humeralis, 132, 575, 715
Nyctinomops
aurispinosus, 574
femorosaccus, 574
laticaudatus, 138, 140, 142, 143, 574
macrotis, 132–135, 138, 140, 142, 143, 574
Nyctomys sumichrasti, 574
Nymphalidae, 509, 513

O'Brien, Chantal S., see Boyce, Walter M., —
Ocyba calathana, 522
Odocoileus
hemionus, 148, 574, 644–653, 654–660, 725
virginianus, 148, 420, 574, 644–653, 654–660
Odonata, 444–448
Oemoteryx, 30
Oleaceae, 187
Oligodon formosanus, 554, 555
Oligoneuriidae, 30
Oligoryzomys fulvescens, 574
Olneya tesota, 391
Oncorhynchus, 667
apache, 668
clarki, 667
mykiss, 43–46, 667

Ondatra zibethicus, 574
Onichomys torridus, 137
Onychomys, 116
arenicola, 574
leucogaster, 427–431, 574
torridus, 430, 570, 574
Oochoristica scelopori, 208–212, 217
Ophiogomphus, 30
Ophsiphanes quiteria, 516
Oporornis formosus, 302
Opsiphanes invirae, 515
Opuntia, 3, 114, 119, 133, 559, 598, 636, 646
engelmanii, 179
engelmannii, 180, 182, 187
lindheimeri, 283
Orchopeas
agilis, 721
caedens, 721
sexdentatus, 721
Orconectes virilis, 668
Ord's kangaroo rats living in floodplain habitats: factors contributing to habitat attraction, Michael S. Miller, Kenneth R. Wilson, and Douglas C. Andersen, 411–418
Oreochromis aureus, 451, 452
Oreotragus oreotragus, 432
Oropsylla montana, 721
Orses cynisca, 524
Ortega, Catherine P., and Joseph C. Ortega, Comparison of black-headed grosbeaks nesting in riparian and Gambel oak pastures in southwestern Colorado, 383–388
Ortega, Joseph C., see Ortega, Catherine P., and —
Orthocyclops modestus, 341
Orthogeomys
cuniculus, 574, 577
grandis, 570, 574, 577
hispidus, 571, 574
lanius, 574, 578
Ortiz Gómez, Manuel, see Muñiz-Martínez, Raúl, —
Oryxomys couesi, 576
Oryzomys
alfaroi, 311, 574
chapmani, 574, 577
couesi, 311, 574
melanotis, 311, 574
nelsoni, 574
palustris, 306, 308
rhabdops, 574, 576
rostratus, 574
saturatior, 568, 570, 574
yucatanensis, 577
Oryzopsis hymenoides, 626
Oscillatoria, 29
Osgoodomys banderanus, 574
Ostrinotes keila, 519
Otonyctomys hatti, 571, 574, 577
Ototylomys phyllotis, 311, 574
Otus
asio, 70–80, 221
barbarus, 77
cooperi, 76, 77
flammeolus, 77
guatemalae, 77, 709
kennicottii, 70–80, 218
seductus, 71, 75
trichopsis, 71, 75, 218–222
Ovis canadensis, 81–84, 145–147, 574, 635–643, 725
Oxalidaceae, 187
Oxalis corniculata, 187
Oxyura jamaicensis, 244

Paches loxus, 522
Pachycereus, 472
Pachydiplax longipennis, 446
Pachyneuria, 522
Pachyramphus major, 709
Painteria leptophylla, 181
Palafoxia callosa, 11
Pandemos godmanii, 518
Panicum, 536
arizonicum, 487
bulbosum, 179, 181, 182, 187
elegans, 443
hirticale, 487
hirticaule, 180
virgatum, 275, 461
Panoquina
evadens, 525
hecebolus, 525
leucas, 525
ocola, 525
pauper, 525
Panthera onca, 574
Panthiades
bathildis, 519
bitias, 519
phaleros, 519
Pantosteus clarki, 667
Papilionidae, 509, 512
Papilionoidea, 505–525
Pappogeomys
alcorni, 574
bulleri, 574
Paracloedes, 30
Paracyclops, 341
Paranasua, 249
Parapharygodon alvarengai, 212
Pareuptychia
binocula, 516
ocirrhoe, 516
Parides
erithalion, 512
iphidamas, 512
sesostris, 512
Parkinsonia, 598
aculeata, 283
Parrhasius polibetes, 519
Parsimony analysis of endemicity to analyze the distribution of Mexican land mammals, using, Tania Escalante, David Espinosa, and Juan J. Morrone, 563–578
Parthenogenetic *Cnemidophorus tessellatus* (Sauria: Teiidae) occasionally produce offspring markedly different from the mother?, can, James M. Walker and James E. Cordes, 126–129
Parus atricapillus, 380
Pascopyrum smithii, 262
Paspalum
notatum, 420
paucispicatum, 181
Passer domesticus, 460, 461, 561
Passerina cyanea, 294
Patrick, Michael J., see Harrison, Robert L., —
Peachey, William D., see Czaplewski, Nicholas J., and —
Pecari, 604
tajacu, 575
Pectis
angustifolia, 11
papposa, 11, 487
prostrata, 184, 187
Pedersen, Ellen K., Theresa L. Bedford, William E. Grant, S. Bradleigh Vinson, James B. Martin, Michael T. Longnecker, Charles L. Barr, and Bastiaan M. Drees, Effect of red imported fire ants on habitat use by hispid cotton rats (*Sigmodon hispidus*) and northern pygmy mice (*Baiomys taylori*), 419–426
Pedicularis semibarbata, 496, 499, 504
Pellicia
arina, 522
dimidiata, 522
Pennisetum ciliare, 108
Penstemon
campanulatus, 181
keckii, 499, 504
Pentatomidae, 133
Perca flavescens, 224
Percidae, 454–460
Percina
caprodes, 454–460
macrolepida, 454–460
Pérez, Sergio, see Zarza, Heliot, —
Perichares philetes, 524
Perithemis tenera, 446
Perlidae, 30
Perlodidae, 30
Perognathus, 106, 270
amplus, 570, 574, 577
flavus, 569, 570, 574
longimembris, 568, 570, 574
merriami, 574
Peromyscus, 219, 220, 423, 600
aztecus, 570, 574, 577
beatae, 574
bullatus, 574
californicus, 568, 570, 574

crinitus, 574
difficilis, 574
eremicus, 574
eva, 568, 570, 574
fraterculus, 472
furvus, 574
gossypinus, 306, 308
gratus, 574
guardia, 568, 574
guatemalensis, 574
gymnotis, 574
hooperi, 568, 569, 574
interparietalis, 574
leucopus, 308, 310, 311, 420, 422, 424, 570, 571, 574
levipes, 574
madrensis, 574
maniculatus, 308, 386, 416, 420, 430, 472, 574, 616, 718
megalops, 574
mekisturus, 574
melanocarpus, 574
melanophrys, 574
melanotis, 574
melanurus, 568, 570, 574
merriami, 574
mexicanus, 574
nasutus, 574, 577
ochraventer, 574
pectoralis, 574
perfulvus, 574
polionotus, 430
polius, 574
simulus, 574
spicilegus, 574
stephani, 574, 576
truei, 570, 574
winkelmanni, 574
yucatanicus, 310–312, 571, 574
zarhynchus, 568, 574
Peropteryx
kappleri, 574
kappleri, 577
macrotis, 574
Petasites hybridus, 13
Peterson, A. Townsend, Subtle recent distributional shifts in Great Plains bird species, 289–292
Petrador pumila, 504
Petrophila, 31
Petrosaurus, 211
Peucticus
ludovicianus, 77
melanocephalus, 77
Phacelia hastata, 504
Phalacrocorax auritis, 360
Phanes aletes, 524
Phanus marshallii, 520
Pharyngodon oxkutzcabiensis, 214
Phaseolus grayanus, 187
Pheidole longula, 450
Phenology of *Acacia berlandieri*, *A. minuata*, *A. rigidula*, *A. schaffneri*, and *Chloroleucon ebano* in the Lower Rio Grande Valley of Texas during a drought, Melissa R. Eddy and Frank W. Judd, 321–332
Phenotypic and reproductive responses of *Aspidoscelis tigris* (Squamata: Teiidae) to shifts in winter precipitation across the southern Sierra Nevada Range, Kern County, California, Harry L. Taylor, 680–684
Pheucticus melanocephalus, 383–388
Philaethria diatonica, 508, 513
Phillips, Stephen M., and Gerald E. Einem, Seaside sparrows, *Ammodramus maritimus*, breeding in the Rio Grande Delta, southern Texas, 465–467
Phocide
belus, 520
pigmalion, 520
spalemon, 520
Phoebis
agarithe, 512
argante, 512
philea, 512
sennae, 512
Phrynosoma
cornutum, 111–118, 274–277, 278–282, 351, 353
hernandesi, 351
platyrhinos, 106, 116
solare, 351
Phrynosomatidae, 111–118
Phyciodes phaon, 514
Phyllodactylus bordai, 674
Phylloicus aeneus, 36–42
Phyllorhynchus
browni, 550–556
decurtatus, 550–556
Phyllostigma lilium, 437
Phyllostomidae, 437–441, 574, 582–584, 600, 601
Phyllostomus
discolor, 575, 583, 585
stenops, 575
Physaloptera retusa, 208–212, 215, 217
Physocephalus, 208–211, 213, 214, 217
Piaya cayana, 709
Pica pica, 386
Picea, 257
engelmannii, 258
Picoides
albolarvatus, 65, 69
arcticus, 69
arizonae, 69
borealis, 69
dorsalis, 62
lignarius, 66
mixtus, 69
nuttalli, 69
pubescens, 69, 380
scalaris, 69
stricklandi, 69
tridactylus, 62, 69
villosus, 69
Piculus
auricularis, 69
aurulentus, 69
callopterus, 69
chrysochloros, 69
flavigula, 69
leucolaemus, 69
litae, 69
rivolii, 69
rubiginosus, 69
simplex, 69
Pieriballia viardi, 513
Pieridae, 509, 512
Pimephales promelas, 224, 667
Pinaceae, 187
Pinus, 114, 179, 374, 404, 673
arizonica, 185
cembroides, 177, 181–183, 185, 187, 684
chihuahuana, 181–185, 187
discolor, 605
durangensis, 177
edulis, 16, 133, 224, 235, 257, 605, 626
engelmannii, 181–185, 187
flexilis, 492, 496, 497, 501, 504
flexis, 493
leiophylla, 235
longaeva, 492, 493, 496, 497, 504
monophylla, 605
ponderosa, 15, 16, 133, 224, 257, 349, 492–494, 496, 504, 605
Piperaceae, 581
Pipilo erythrophthalmus, 296
Pipistrellus
hesperus, 142, 143, 575
subflavus, 575, 713
Piptochaetium fimbriatum, 179, 181, 182, 231, 236
Piranga
olivaceae, 294
rubra, 294
Piratuba
lanceolata, 212, 214
prolifica, 212
Pistacea mexicana, 673, 674
Pithecellobium, 397
dulce, 123
Pituophis
catenifer, 351, 352
melanoleucus, 106
Plant associations of Cumbres de Majalca National Park, Chihuahua, Mexico, Eduardo Estrada-Castillón, Enrique Jurado, José J. Navar, Javier Jiménez-Pérez, and Fortunato Garza-Ocañas, 177–187
Plantanus occidentalis, 293
Plasmodium, 288
Plathemis lydia, 446
Platyrrhinus helleri, 575, 583
Plegadis chihi, 130–131, 356–364
Pleochaetis exilis, 721
Plethodon

angusticlavius, 96–100
cinereus, 99
dorsalis, 96, 98, 99
Poa secunda, 504
Poaceae, 187, 443
Podotheca gnaphalioides, 12
Poecilia
formosa, 451–453
latipinna, 451–453
Poeciliidae, 451–453
Pogonomyrmex, 274–277
occidentalis, 411, 412, 414
Polaskia, 673
Polites vibex, 525
Polyctor cleta, 522
Polygonum aviculare, 494, 504
Polygonus manueli, 520
Polygyridae, 14–22
Polymitarcyidae, 30
Polyphylla, 198
Polythrix
asine, 520
octomaculata, 520
Pomoxis
annularis, 452
nigromaculatus, 452
Pompeius pompeius, 525
Popenaias
buckleyi, 334
popeii, 333–340
Population characteristics, growth, and spatial activity of *Siren intermedia* in an intensively managed wetland, Paul W. Frese, Alicia Mathis, and Robert Wilkinson, 534–542
Population status and conservation of the black toad, *Bufo exsul*, John F. Murphy, Eric T. Simandle, and Dawne E. Becker, 54–60
Populations of loach minnow, *Tiaroga cobitis* (Cyprinidae), in Arizona, new and rediscovered, Paul C. Marsh, Brian E. Bagley, Glen W. Knowles, Gary Schiffmiller, and Patricia A. Sowka, 666–669
Populus
angustifolia, 384
deltoides, 188–201, 373, 374, 377
fremontii, 391, 413
tremuloides, 17, 185, 492–497, 501, 504
Portulaca parvula, 487, 488
Potamogeton, 49, 50, 536
Potos flavus, 575
Pouteria
amygdalina, 506
campechiana, 506
reticulata, 506
sapota, 506
Pozo, Carmen, Armando Luis Martínez, Santiago Uc Tescum, Noemí Salas Suárez, and Aixchel Maya Martínez, Butterflies (Papilionoidea and Hesperioidea) of Calakmul, Campeche, México, 505–525
Prairie vole in the Texas and Oklahoma panhandles, noteworthy distributional records of the, Rachel E. McCaffrey, Mark C. Wallace, Jan F. Kamler, and James D. Ray, 717–719
Pramuk, Jennifer B., and Joseph R. Mendelson, III, *Anaxyrus melancholicus* Tschudi: synonym of the Mexican taxon *Bufo compactilis* Wiegmann (Anura: Bufonidae), 676–680
Prather, John W., and Kimberly G. Smith, Effects of tornado damage on forest bird populations in the Arkansas Ozarks, 292–297
Prepona
laertes, 515
pylene, 515
Priamides
anchisiades, 512
rogeri, 512
Probassariscus antiquus, 254
Procyon, 252, 254, 604
insularis, 575
lotor, 386, 575
pygmaeus, 575, 578
Procyonidae, 249–256, 575
Productivity and breeding habitat of loggerhead shrikes in a southwestern urban environment, Clint W. Boal, Tracy S. Estabrook, and Adam E. Duerr, 557–562
Promops centralis, 574
Pronghorn use of areas with varying sound pressure levels, Deborah M. Landon, Paul R. Krausman, Kiana K. G. Koenen, and Lisa K. Harris, 725–728
Prosopis, 391, 559, 646
glandulosa, 3, 283, 366, 378, 397, 482, 488, 636, 693
juliflora, 123
velutina, 636
Prosymna, 555
Proteides mercurius, 520
Protesilaus macrosilaus, 512
Protographium
agesilaus, 512
epidaus, 512
philolaus, 512
Prunus, 181
Prygus
adepta, 523
oileus, 523
philetas, 523
Pseudemys texana, 544
Pseudhipparion, 250
Pseudobombax ellipticum, 506
Pseudolmedia oxyphyllaria, 580
Pseudolycaena damo, 518
Pseudonymphidia clearista, 518
Pseudoroegneria spicata, 493, 504
Pseudotsuga
mensiezii, 185
menziesii, 16, 224, 257, 605
Pterocaulon sphacelatum, 12
Pteronotus, 580
Pteronotus davyi, 574, 583, 711–714
gymnonotus, 574, 577
parnellii, 143, 574, 582, 583, 585, 711–714
personatus, 574, 711–714
Pteronymia cotytto, 516
Pterourus menatius, 512
Puckette, William L., see Briggler, Jeffrey T., and —
Pulex
irritans, 720, 721
simulans, 720, 721
Pulicaria dysenterica, 13
Pulmonata, 14–22, 202–207
Puma concolor, 83, 574, 651
Purshia glandulosa, 684
Pylodictis olivaris, 667
Pyralidae, 31
Pyrisitia
dina, 512
lisa, 512
nise, 513
proterpia, 513
Pyrrhogyra
neaerea, 514
otolais, 514
Pyrrhopyge mulleri, 520

Quadrula cylindrica, 338
Quadrus
cerialis, 522
contubernalis, 522
lugubris, 522
Quercus, 16–18, 20, 119, 293, 404, 723
arizonica, 181, 183, 185, 187, 235
depressipes, 179, 181–184, 187
emoryi, 177, 180–185, 187, 235
gambelii, 15, 17, 181, 187, 383–388
grisea, 180–185, 187
hypoleucoides, 177, 181, 182, 187, 235
lyrata, 307
mcvaughii, 177, 181
nigra, 307
nuttallii, 307
phellos, 307
rugosa, 181, 182, 187
toumeyi, 235
virginiana, 397
Quiscalus mexicanus, 131, 358

Rachlow, Janet L., Raymond M. Lee, and Ryan K. Riley, Abnormal antlers and pedicles on Rocky Mountain elk in northern Arizona, 147–153
Ralls, Katherine, and P. J. White, Diurnal spacing patterns in kit foxes, a monogamous canid, 432–436

Rana
spectabilis, 672
yavapaiensis, 351, 352
zweifeli, 673
Rangifer tarandus, 636, 725
Rare mammals in Sierra Norte de Oaxaca, Mexico, noteworthy records of two, Antonio Santos-Moreno, Miguel Briones-Salas, Graciela González-Pérez, and Teresita de J. Ortiz, 312–313
Rattus norvigecus, 616
Ray, James D., Brian D. Sullivan, and Harvey W. Miller, Breeding ducks and their habitats in the High Plains of Texas, 241–248
Ray, James D., see McCaffrey, Rachel E., —
Recent occurrence of black bears in the southwestern Great Plains, Jan F. Kamler, Larry A. Green, and Warren B. Ballard, 303–306
Recent status and distribution of red foxes (*Vulpes vulpes*) in northeastern Arizona and southeastern Utah, David G. Mikesic and Charles T. LaRue, 624–634
Reconstructing long-term flood regimes with rainfall data: effects of flood timing on caddisfly populations, David A. Lytle, 36–42
Red imported fire ants on habitat use by hispid cotton rats (*Sigmodon hispidus*) and northern pygmy mice (*Baiomys taylori*), effect of, Ellen K. Pedersen, Theresa L. Bedford, William E. Grant, S. Bradleigh Vinson, James B. Martin, Michael T. Longnecker, Charles L. Barr, and Bastiaan M. Drees, 419–426
Redescription of *Sturnira lilium lilium* and *Sturnira lilium parvidens* (Chiroptera: Phyllostomidae), Cornelio Sánchez-Hernández and María de Lourdes Romero-Almaraz, 437–441
Reisig, Dominic D., see Mooring, Michael S., —
Reithrodontomys, 422, 423
burti, 574
chrysopsis, 574
fulvescens, 574
gracilis, 311, 571, 574
hirsutus, 574
megalotis, 471–472, 570, 574, 616
mexicanus, 574
microdon, 574
montanus, 574, 718
sumichrasti, 574
tenuirostris, 574
Rekoa
marius, 518
meton, 518
palegon, 518
Remella remus, 524
Reproductive and territorial behavior of Comanche Springs pupfish (*Cyprinodon elegans*) in San Solomon Spring Pool, Balmorhea State Park, Reeves County, Texas, Daniel K. Brannan, Chris R. Brannan, and Thomas E. Lee, Jr., 85–88
Reproductive biology and brooding behavior of the Ozark zigzag salamander, *Plethodon angusticlavius*, observations on, Jeffrey T. Briggler and William L. Puckette, 96–100
Reptilia, 700–705
Response of bighorn sheep (*Ovis canadensis*) to feral honey bees (*Apis mellifera*) at water, Walter M. Boyce, Chantal S. O'Brien, and Esther S. Rubin, 81–84
Rhabdodryas trite, 512
Rheomys
mexicanus, 312–313, 568, 570, 574
thomasi, 574
Rhetus
arcius, 517
periander, 517
Rhinichthys osculus, 666
Rhinthon osca, 525
Rhogeessa
aeneus, 575
alleni, 575
genowaysi, 575, 577
gracilis, 575
mira, 575
parvula, 575
tumida, 575
Rhus aromatica, 179, 181, 183, 187, 236
Rhynchonycteris naso, 574
Ribes cereum, 493–496, 504
Ridens allyni, 521
Riley, Ryan K., see Rachlow, Janet L., —
Rios, Evelyn, see Alvarez-Castañeda, Sergio Ticul, and —
Rithrogena hageni, 30
River flow regime on cottonwood leaf litter dynamics in semi-arid northwestern Colorado, effects of, Douglas C. Andersen and S. Mark Nelson, 188–201
Robel, Robert J., John P. Hughes, Timothy D. Keane, and Kenneth E. Kemp, Do artificial nests reveal meaningful patterns of predation in Kansas grasslands?, 460–464
Robinia neomexicana, 17
Rodentia, 310–312
Rodríguez, Olivia, see Munguia, Pablo, —
Romero-Almaraz, María de Lourdes, see Hopkins, Heidi L., —
Romero-Almaraz, María de Lourdes, see Sánchez-Hernández, Cornelio, and —
Romerolagus diazi, 574
Rosaceae, 187
Rose, Francis L., see Swannack, Todd M., and —
Rubiaceae, 187
Rubin, Esther S., see Boyce, Walter M., —
Ruggles, Anne K., see Meaney, Carron A., —
Russula, 259
Rutaceae, 506
Rutidosis helichrysoides, 11

Saccopteryx
bilineata, 574
leptura, 568, 574
Salicornia, 465
virginica, 302
Salix, 384, 611
exigua, 377, 378
nigra, 307
Salmo trutta, 43, 668
Salvadora
grahamiae, 351
hexalepis, 351, 352
Salvia, 181
leptophylla, 181, 187
tiliifolia, 187
Sambucus coerulea, 504
Sánchez-Hernández, Cornelio, and María de Lourdes Romero-Almaraz, Redescription of *Sturnira lilium lilium* and *Sturnira lilium parvidens* (Chiroptera: Phyllostomidae), 437–441
Sánchez-Hernández, Cornelio, see Hopkins, Heidi L., —
Santos-Moreno, Antonio, Miguel Briones-Salas, Graciela González-Pérez, and Teresita de J. Ortiz, Noteworthy records of two rare mammals in Sierra Norte de Oaxaca, Mexico, 312–313
Sapium sebiferum, 302
Sapotaceae, 506
Sapthilepia clonius, 522
Sarcobatum vermiculatus, 413
Sarcobatus vermiculatus, 192
Sarkozi, David L., and Daniel M. Brooks, Eastern red bat (*Lasiurus borealis*) impaled by a loggerhead shrike (*Lanius ludovicianus*), 301–303
Sarota psaros, 517
Sauria, 126–129
Saurofilaria grassi, 212
Sauromalus obesus, 106, 682, 683
Scalopus aquaticus, 575
Scapanus latimanus, 570, 575
Scarabaeidae, 198, 270
Scarbaeidae, 133
Sceloporus, 106, 122
acanthinus, 208, 211–213
clarki, 218–220

clarkii, 208, 211–213, 351, 352
formosus, 208–217
gadovae, 125
graciosus, 211
grammicus, 208–217
jarrovi, 218–222, 683
jarrovii, 208, 211–214, 351–353
magister, 208, 212, 213, 351
malachiticus, 214
megalepidurus, 208–217
merriami, 208, 211–213, 700–705
mucronatus, 208–217
nelsoni, 208, 211–213
occidentalis, 211
ochoteranae, 123–126
olivaceus, 211
parvus, 208–217
poinsettii, 209, 212, 213
serrifer, 211
slevini, 351, 353
spinosus, 208, 212, 213
teapensis, 209
torquatus, 208–217
undulatus, 211, 351
variabilis, 208–217
virgatus, 211, 218–222
Schauffert, Carol A., see Hutton, Kelly A., —
Schemnitz, Sanford D., see York, Darryl, L., and —
Schiffmiller, Gary, see Marsh, Paul C., —
Schinus mole, 673
Schizachyrium
sanguineum, 179, 181, 182, 184, 187
scoparium, 181, 182, 184, 187, 420, 461
Schkuhria anthemoidea, 181, 187
Schmitt, C. Gregory, see Harrison, Robert L., —
Schnell, Gary D., see Hopkins, Heidi L., —
Schotborgh, H. Maaike, see King, Kirke A., —
Schotborgh, H. Maaike, see Zaun, Brenda J., —
Schwalbe, Cecil R., see Esque, Todd C., —
Schwalbe, Cecil R., see Turner, Dale S., —
Scirpus, 58, 130, 357, 366
Sciuridae, 270, 575
Sciurus
aberti, 257–260, 575
alleni, 575
arizonensis, 575
aureogaster, 575
colliaei, 570, 575
deppei, 575
nayaritensis, 575, 723
niger, 575, 578
oculatus, 575
variegatoides, 568, 575
yucatanensis, 571, 575
Scotinomys teguina, 574
Seaside sparrows, *Ammodramus maritimus*, breeding in the Rio Grande Delta, southern Texas, Stephen M. Phillips and Gerald E. Einem, 465–467
Seasonal and ontogenetic changes in the sex ratio of a population of stinkpots (Kinosternidae: *Sternotherus odoratus*), Todd M. Swannack and Francis L. Rose, 543–549
Seed age, germination substrate, gibberelic acid, light, and temperature on seed germination in *Flourensia cernua* (Asteraceae), a Chihuahuan Desert shrub, effects of, Susana Valencia-Díaz and Carlos Montaña, 1–13
Senecio
aquaticus, 13
gregorii, 11
jacobaea, 11
magnificus, 11
multilobatus, 504
spartioides, 504
squalidus, 12
sylvaticus, 12
viscosus, 11
vulgaris, 11
Serpentes, 705–707
Serratula tinctoria, 13
Servín, Jorge, Elías Chacón, Nicolás Alonso-Pérez, and Carmen Huxley, New records of mammals from Durango, Mexico, 136–138
Sesbania exaltata, 307
Setaria viridis, 187
Shannon, Joseph P., see Haden, G. Allen, —
Sida
filicaulis, 187
spinosa, 487
Siderone galanthis, 515
Sierurus aurocapillus, 294
Sigara, 31
Sigmodon
alleni, 574
arizonae, 574
fulviventer, 574
hispidus, 306, 308, 311, 419–426, 430, 467–471, 571, 574
leucotis, 574
mascotensis, 574
ochrognathus, 574
Silvius, 31
Simandle, Eric T., see Murphy, John F., —
Simuliidae, 31, 288
Siproeta
epaphus, 513
stelenes, 513
Siren intermedia, 534–542
Sitta carolinensis, 380
Ski slope vegetation of Lee Canyon, Nevada, USA, Jonathan H. Titus and Fred Landau, 491–504
Skrjabinodon scelopori, 212
Skrjabinoptera
phrynosoma, 212
scelopori, 212, 214
Smicridea, 30
Smicronyx
profusus, 7
spretus, 7
Smith, Douglas G., Brian K. Lang, and Mark E. Gordon, Gametogenetic cycle, reproductive anatomy, and larval morphology of *Popenaias popeii* (Unionoida) from the Black River, New Mexico, 333–340
Smith, Geoffrey R., Julio A. Lemos-Espinal, and Royce E. Ballinger, Body size, sexual dimorphism, and clutch size in two populations of the lizard *Sceloporus ochoteranae*, 123–126
Smith, Geoffrey R., see Lemos-Espinal, Julio A., —
Smith, Hobart M., Julio A. Lemos-Espinal, and David Chiszar, New subspecies of *Sceloporus merriami* (Reptilia: Lacertilia) and the derivation of its subspecies, 700–705
Smith, Hobart M., see Taylor, Harry L., —
Smith, Kimberly G., see Prather, John W., and —
Smyrna blomfildia, 514
Solanaceae, 187, 581
Solanum eleagnifolium, 187
Solenopsis invicta, 275, 307, 419–426
Solidago, 307
gigantea, 13
sparsiflora, 496, 504
virga-aurea, 13
Sonchus
asper, 12
oleraceus, 12
Sonora semiannulata, 351
Sonorella baboquivariensis, 205
Sorex
arizonae, 575, 577
emarginatus, 575
macrodon, 575
milleri, 567–569, 575
monticolus, 575
oreopolus, 575
ornatus, 575, 578
saussurei, 575
sclateri, 575, 576
stizodon, 568, 570, 575
ventralis, 575
veraepacis, 575
Sorghastrum nutans, 461
Sorghum
halapense, 307
halepense, 420
Soricidae, 575

Sosa, Vinicio J., see Galindo-González, Jorge, and —
Sostrata nordica, 522
Sowka, Patricia A., see Marsh, Paul C., —
Sparks, Dale W., and Ernest W. Valdez, Food habits of *Nyctinomops macrotis* at a maternity roost in New Mexico, as indicated by analysis of guano, 132–135
Spartina, 465
patens, 302, 465
spartinae, 302
Spauligodon
giganticus, 208–211, 213–215, 217
oxkutzcabiensis, 208–211, 213, 214, 217
Spea multiplicata, 351, 673
Spermophilus, 270
adocetus, 575
annulatus, 575
armatus, 430
atricapillus, 575
atripicallus, 568
beecheyi, 568, 570, 575
madrensis, 575
mexicanus, 575
perotensis, 575
spilosoma, 569, 575
tereticaudus, 570, 575
tridecemlineatus, 616
variegatus, 106, 386, 569, 575
Sphaeridae, 101
Sphincterochila boissieri, 205, 206
Spilogale
putorius, 574
pygmaea, 574
Spiroxys susanae, 213, 214
Spiza americana, 460, 461
Spizella breweri, 290
Squamata, 550–556, 680–684, 685–692, 692–700
Staphylus
lenis, 522
vulgata, 522
Stenistomera alpina, 721
Stephopaedes, 676
Sternotherus odoratus, 543–549
Stevenson, Michael M., see Buchanan, Thomas M., and —
Stevia, 181
micrantha, 181
rhombifolia, 184, 187
salicifolia, 187
serrata, 184, 187
Stipa sarothrae, 626
Stomoxys calcitrans, 639
Streptoglossa odora, 11
Streptopelia risoria, 361
Strongyluris
acaudata, 213, 214
similis, 208–211, 213, 214, 217
Strymon
alea, 519
bazochii, 519
bebrycia, 519
cestri, 519
istapa, 519
megarus, 519
melinus, 519
mulucha, 519
serapio, 519
yojoa, 519
ziba, 519
Sturna vulgaris, 362
Sturnella, 270
Sturnira
aratathomasi, 440
bidens, 440
bogotensis, 440
erythromos, 440
hondurensis, 440
lilium, 143, 437–441, 575, 582, 583
ludovici, 437, 440, 575
luisi, 440
magna, 440
mordax, 440
nana, 440
oporophylum, 440
spectrum, 437
thomasi, 440
tildae, 440
Stylurus, 30
Suárez, Noemí Salas, see Pozo, Carmen, —
Suazo-Ortuño, Ireri, see Alavarado-Diaz, Javier, —
Subspecies of *Sceloporus merriami* (Reptilia: Lacertilia) and the derivation of its subspecies, new, Hobart M. Smith, Julio A. Lemos-Espinal, and David Chiszar, 700–705
Subtle recent distributional shifts in Great Plains bird species, A. Townsend Peterson, 289–292
Sullivan, Brian D., see Ray, James D., —
Summer foraging range of Mexican free-tailed bats (*Tadarida brasiliensis mexicana*) from Carlsbad Cavern, New Mexico, Troy L. Best and Kenneth N. Geluso, 590–596
Swannack, Todd M., and Francis L. Rose, Seasonal and ontogenetic changes in the sex ratio of a population of stinkpots (Kinosternidae: *Sternotherus odoratus*), 543–549
Swietenia macrophylla, 505
Swift fox demography, movements, denning, and diet in New Mexico, Robert L. Harrison, 261–273
Sylvilagus
auduboni, 106
audubonii, 570, 574
bachmani, 570, 574
bachmanni, 568
brasiliensis, 574
cunicularius, 574
floridanus, 424, 574
graysoni, 574, 577
insonus, 574, 577
mansuetus, 574, 578
Symmachia accusatrix, 517
Sympetrum
corruptum, 446
occidentale, 447
semicinctum, 446, 447
Symphoricarpos
longiflorus, 504
oreophilus, 17
Synale cynaxa, 524
Synapte pecta, 523
Synargis calyce, 518
Systasea pulverulenta, 522

Tabanidae, 31
Tabanus, 635
Tadarida, 302
brasiliensis, 132, 138, 141–143, 574, 590–596, 713
Taenionema, 30
Taeniopterygidae, 30
Tagetes patposa, 187
Talpidae, 575
Taltridae, 101
Tamandua mexicana, 574
Tamarix, 366
chinensis, 373, 374, 377
Tamias, 386
bulleri, 575
dorsalis, 575
durangae, 575
merriami, 575
obscurus, 570, 575
Tamiasciurus
hudsonicus, 257, 258
mearnsi, 568, 570, 575
Tanacetum vulgare, 13
Tantilla
hobartsmithi, 350–352
nigriceps, 350
Tapiridae, 575
Tapirus bairdii, 575
Taraxacum
officinale, 13
officinalis, 494, 504
Taxidea taxus, 263, 574
Tayassu pecari, 575
Tayassuidae, 575
Taygetis
thamyra, 516
virgilia, 516
Taylor, Harry L., and Yadira Caraveo, Comparison of life history characteristics among syntopic assemblages of parthenogenetic species: two color pattern classes of *Aspidoscelis tesselata*, *A. exsanguis*, *A. flagellicauda*, and three color pattern classes of *A. sonorae* (Squamata: Teiidae), 685–692
Taylor, Harry L., Julio A. Lemos-Espin-

al, and Hobart M. Smith, Morphological characteristics of a newly discovered population of *Aspidoscelis tesselata* (Squamata: Teiidae) from Chihuahua, México, the identity of an associated hybrid, and a pattern of geographic variation, 692–700
Taylor, Harry L., Phenotypic and reproductive responses of *Aspidoscelis tigris* (Squamata: Teiidae) to shifts in winter precipitation across the southern Sierra Nevada Range, Kern County, California, 680–684
Taylor, Robert V., Factors influencing expansion of the breeding distribution of Bewick's wren into riparian forests of the Rio Grande in central New Mexico, 373–382
Tecoma stans, 180, 187
Teiidae, 126–129, 680–684, 685–692, 692–700
Telebasis salva, 446
Teleostei, 451–453
Temenis laothoe, 514
Tenebrionidae, 198
Terrapene ornata, 107, 350, 351
Tescum, Santiago Uc, see Pozo, Carmen, —
Testudinella, 342
Tetragoneuria costalis, 446
Thalictrum bipinnatifidum, 184
Thamnophis, 386, 552
cyrtopsis, 351, 352
Thecadactylus rapicaudus, 214
Thecla
echelta, 519
galliena, 519
heraclides, 518
ligurina, 519
lyde, 519
Theope
eupolis, 518
publius, 518
virgilius, 518
Theritas hemon, 518
Thermocyclops hyalinus, 345
Thessalia theona, 514
Thessia jalapus, 521
Thisbe
irenea, 518
lycorias, 518
Thomasson, Joseph R., *Eleofimbris svensonii* (Cyperaceae) from the late Miocene Ogallala group of western Kansas, 442–444
Thomomys
bottae, 574
umbrinus, 574
Thompson, Bruce C., see Kroll, Andrew J., —
Thouinia paucidentata, 506
Thryomanes bewickii, 373–382
Thryothorus ludovicianus, 296
Thubunaea
iguanae, 213
intestinalis, 208–211, 213, 214, 217
Thyroptera tricolor, 575
Thyropteridae, 575, 601
Tiaris olivacea, 710
Tiaroga cobitis, 666–669
Tidestromia lanuginosa, 487
Tigridia acesta, 508, 514
Tillandsia, 673, 674
Timochares
ruptifasciatus, 523
trifasciata, 523
Timson, Jamie E., and Greg H. Farley, Intraspecific helping behavior exhibited by hatch-year house wren, 300–301
Tipula, 31
Tipulidae, 31, 198
Titus, Jonathan H., and Fred Landau, Ski slope vegetation of Lee Canyon, Nevada, USA, 491–504
Tmolus echion, 505, 508, 509, 519
Tonatia
brasiliense, 575
evotis, 575
Tornado damage on forest bird populations in the Arkansas Ozarks, effects of, John W. Prather and Kimberly G. Smith, 292–297
Trachemys scripta, 544
Trachops cirrhosus, 575
Trachypogon secundus, 181
Tradescantia crassifolia, 181
Tragia ramosa, 181
Tragopogon
dubius, 13
porrifolius, 494, 504
pratensis, 13
Tramea
lacerata, 446
onusta, 446
Traverella, 30
Trichocorixa, 31
Trichorthidae, 30
Tricorthodes, 30
Tridax
bicolor, 181
procumbens, 12
Trifolium
amabile, 187
wormskiikoldii, 187
Trionyx spiniferus, 86
Tripleurospermum maritimum, 12
Trochoidea seetzeni, 205, 206
Troglodytes aedon, 300–301, 374
Troilides torquatus, 512
Tromba xanthura, 524
Tropocyclops prasinus, 341–346
Tucker, Paul B., see Cooley, Christopher R., —
Tumlison, Renn, and George R. Cline, Association between the Oklahoma salamander (*Eurycea tynerensis*) and Ordovician-Silurian strata, 93–95
Turdus merula, 385
Turner, Dale S., Peter A. Holm, Elizabeth B. Wirt, and Cecil R. Schwalbe, Amphibians and reptiles of the Whetstone Mountains, Arizona, 347–355
Tussilago farfara, 13
Tylomys
bullaris, 574
nudicaudus, 574
tumbalensis, 568, 574
Tympanuchus pallidinuchus, 290
Typha, 58, 131, 366
Typhedanus
ampyx, 520
salas, 520
unudlatus, 520
Tyrannus
forficatus, 290, 291
verticalis, 709
Tyto alba, 221, 717, 718

Udranomia kikkawai, 520
Ulmaceae, 443
Ulmus pumila, 377
Umbelliferae, 6
Unionoida, 333–340
Urbanus
albimargo, 521
belli, 521
dorantes, 521
doryssus, 521
esmeraldus, 521
evona, 521
procne, 521
proteus, 521
simplicius, 521
tanna, 521
teleus, 521
viterboana, 521
Urocyon
cinereoargenteus, 574, 626, 720
littoralis, 435
Uroderma
bilobatum, 575, 583
magnirostrum, 575
Urosaurus ornatus, 218–221, 351, 352
Urospermum picroides, 12
Ursidae, 575
Ursinia anthemoides, 12
Ursus
americanus, 303–306, 575, 651
arctos, 575
Ulta stansburiana, 106, 683

Vaccinum madrense, 181
Vacerra litana, 525
Valdez, Ernest W., see Sparks, Dale W., and —
Valencia-Díaz, Susana, and Carlos Montaña, Effects of seed age, germination substrate, gibberelic acid,

light, and temperature on seed germination in *Flourensia cernua* (Asteraceae), a Chihuahuan Desert shrub, 1–13
Valeriana sorbifolia, 181, 187
Valerianaceae, 187
Valone, Thomas J., Examination of interaction effects of multiple disturbances on an arid plant community, 481–490
Vampyressa pusilla, 575
Vampyrodes caraccioli, 575, 583, 586
Vampyrum spectrum, 575
Van Den Bussche, Ronald A., see Coughlin, Warren D., —
Vareuptychia
similis, 516
usitata, 516
Vargas-Contreras, Jorge A., see Garza-Torres, Héctor A., —
Variation in Zapotitlán coralsnake, *Micrurus pachecogili* (Serpentes: Elapidae), Luis Canseco-Marquez and Jonathan A. Campbell, 705–707
Vehilius
illudens, 524
inca, 524
Veniliornis
affinis, 69
callonotus, 69
cassini, 69
chocoensis, 69
dignus, 69
frontalis, 69
fumigatus, 69
kirkii, 69
maculifrons, 69
nigriceps, 69
passerinus, 69
sanguineus, 69
spilogaster, 69
Verbenaceae, 187
Verbesina enceliodes, 11
Vermivora pinus, 296
Vespertilionidae, 575, 582, 583, 600–602, 715–717
Vettius
fantasos, 524
onaca, 524
tertianus, 524
Vicia ludoviciana, 181
Viguiera
cordifolia, 184, 187
longifolia, 184
stenoloba, 11
Vinius tryhana, 523
Vinson, S. Bradleigh, see Pedersen, Ellen K., —
Vireo
griseus, 296
olivaceous, 294
plumbeus, 385
Virga
clenchi, 523
virginius, 523
Vitis arizonica, 181, 235
Vittadinia eremaea, 11
Vulpes
macrotis, 269, 432–436, 626, 720
velox, 261–273, 574, 720
vulpes, 624–634, 720

Wade, Cara E., see McNeely, David L., and —
Walker, James M., and James E. Cordes, Can parthenogenetic *Cnemidophorus tesselatus* (Sauria: Teiidae) occasionally produce offspring markedly different from the mother?, 126–129
Wallace, Mark C., see Avey, Josh T., —
Wallace, Mark C., see McCaffrey, Rachel E., —
Wallengrenia otho, 525
Ward, David L., and Scott A. Bonar, Effects of cold water on susceptibility of age-0 flannelmouth sucker to predation by rainbow trout, 43–46
Western harvest mouse (Muridae: *Reithrodontomys megalotis*) on the Baja California Peninsula, noteworthy record of, Sergio Ticul Alvarez-Castaneda and Evelyn Rios, 471–472
White desertsnail, *Eremarionta immaculata* (Gastropoda: Pulmonata), activity during daylight after winter rainfall, William D. Wiesenborn, 202–207
White, P. J., see Ralls, Katherine, and —
White-faced ibis, *Plegadis chihi*, nesting in Arizona, first record of, Brenda J. Zaun, Kirke A. King, Carla Hurt, and H. Maaike Schotborgh, 130–131
Whitlaw, Heather A., see Kamler, Jan F., —
Wiesenborn, William D., White desertsnail, *Eremarionta immaculata* (Gastropoda: Pulmonata), activity during daylight after winter rainfall, 202–207
Wilkinson, Robert, see Frese, Paul W., —
Wilson, Kenneth R., see Miller, Michael S., —
Wilson, Kevin P., see Haden, G. Allen, —
Wilsonia citrina, 295
Wintering bald eagle trends in northern Arizona, 1975–2000, Teryl G. Grubb, 223–230
Wirt, Elizabeth B., see Turner, Dale S., —
Worm-eating warbler (*Helmintheros vermivorus*) in intensive agricultural landscape in northeastern Arkansas, unusual occurrence of, Jonathan D. Maul and Jerry L. Farris, 297–299

Xanthocephalum gymnospermoides, 181
Xenomys nelsoni, 574, 576
Xenophanes tryxus, 522
Xenosaurus
grandis, 119–122
newmanorum, 119–122
platyceps, 119–122
Xiphorynchus flavigaster, 709
Xyrauchen texanus, 667

Yersinia pestis, 263, 266
York, Darryl L., and Sanford D. Schemnitz, Home range, habitat use, and diet of Gould's turkeys, Peloncillo Mountains, New Mexico, 231–240
Young, Paul J., see Hutton, Kelly A., —
Yphthimoides renata, 516
Yucatan deer mouse, *Peromyscus yucatanicus* (Rodentia: Muridae) from Guatemala, first record of the, Heliot Zarza, Rodrigo A. Medellín, and Sergio Pérez, 310–312
Yucca, 114, 262, 646
baccata, 636
brevifolia, 105, 684

Zaluzania discoidea, 181
Zapus
hudsonius, 610–623
princeps, 611
Zaretis callidryas, 515
Zariaspes mys, 523
Zarza, Heliot, Rodrigo A. Medellín, and Sergio Pérez, First record of the Yucatan deer mouse, *Peromyscus yucatanicus* (Rodentia: Muridae) from Guatemala, 310–312
Zaun, Brenda J., Kirke A. King, Carla Hurt, and H. Maaike Schotborgh, First record of white-faced ibis, *Plegadis chihi*, nesting in Arizona, 130–131
Zaun, Brenda J., see King, Kirke A., —
Zea, 522
Zinnia, 482
Ziziphus obtusifolia, 559
Zizula cyna, 508, 518
Zygogeomys trichopus, 574, 578